



Bharat Sanchar Nigam Limited (Electrical Wing)

**O/o The Executive Engineer (E)
BSNL Electrical Division-I**

No.22, Kellys Road,
Chennai - 600010.

Office: 044-26470405, 26470123 Fax: 044-2647 0406

E-mail: ee1chennai@gmail.com

E-TENDER DOCUMENT

NAME OF WORK: Replacement of faulty OCB RMG HT panel with new VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

NIT No : 51 / EEE/ED-I/CH/2021-22

This tender document contains **32 (thirty two)** pages only.

For E Tender Help Desk of M/s ITI Limited.Tel.No.011 49424365;
Mail Id: twhelpdesk680@gmail.com, bsnltwhelpdesk@gmail.com

INDEX

| Sl.no | Description | Page no. |
|--------------|--|-----------------|
| 1 | Front cover and Index | 2 |
| 2 | Notice Inviting Tender form - BSNL EW 6 | 3 |
| 3 | General Instructions to the Bidders | 9 |
| 4 | Undertaking to abide by EW 6 & EW 8 (Form 'A') & EPF | 11 |
| 5 | Undertaking regarding ESI provisions (Form 'B') | 12 |
| 6 | Performance report of works (Form 'C') & No Near relative working certificate (Form 'D') | 13 |
| 7 | Model form of Bank Guarantee for EMD (Annexure-I) | 14 |
| 8 | Model form of Performance security Guarantee bond (Annexure-II) | 15 |
| 9 | Model form of Bid Security/EMD DECLARATION (Annexure-III) | 16 |
| 10 | Important Instructions to tenderer | 17 |
| 11 | Schedule of Quantities | 20 |
| 13 | Technical Specification of 11KV Indoor RMG as per TANGEDCO Norms | 23 |
| 14 | List of Approved Makes | 27 |
| 15 | List of relevant Indian Standards | 29 |
| 16 | Proforma Schedules | 30 |
| 17 | BSNL EW – 8 form | 31 |

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE

The Executive Engineer (Elect), BSNL, **Electrical Division-I, Chennai** on behalf of the CMD, Bharat Sanchar Nigam Limited, invites online Item rate bids from eligible bidders in Single bid system for the following work:

| | | |
|----|---|---|
| 1 | Name of work | “Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.” |
| 2 | Estimated cost put to tender (Rs.) | Rs. 8,73,301/- (Excluding GST) |
| 3 | Earnest Money (Rs.) | Nil. However undertaking as per Annexure-III to be submitted. |
| 4 | Period of completion | Three months |
| 5 | Last date & time for downloading of tender document by bidder | Up to 14:55 Hrs. on 09-11 -2021 |
| 6 | Last date & time for online submission of tender | Up to 15:00 Hrs. on 09-11 -2021 |
| 7 | Last date & time for submission of original Tender cost and EMD | Up to 15:00 Hrs. on 09-11 -2021 |
| 8 | Date and time for opening of tender | 15:30 Hrs. on 09-11 -2021 |
| 9 | Tender cost (Non refundable) | Rs.500/- (+) GST 18% |
| 10 | E-tender Processing fee (Non refundable) | 0.05% of estimate cost subject to the minimum of Rs.500 and Maximum of Rs. 5000 plus GST |

(a) Financial Norms:

Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

(b) Physical Norms:

1) BSNL enlisted contractors in Electrical category of respective class as per their tendering limits.

(OR)

2) Experience of having successfully completed similar works in Central Government / State Government /Central Autonomous Body / Central Public Sector Undertaking during last 7 years ending last day of the month previous to the one in which applications are invited should be either of the following :-

➤ Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

(OR)

➤ Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

(OR)

➤ One similar successfully completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

Note: - Similar work means “Supply, installing, testing and commissioning of Transformer substation /RMG panel/HT panel”

IMPORTANT NOTE:

1. The self-attested copies of the following documents shall be scanned and uploaded to the e-tendering website within the period of tender submission. Online bid documents submitted by intending bidders shall be opened only of those bidders, who have scanned and uploaded the following documents (and whose uploaded documents are found to be in order), otherwise the bid will not be opened and shall lead to disqualification.
 - a. Tender Fee in the prescribed format
 - b. EMD in the prescribed format (Declaration as per Annexure III)
 - c. Certificate of Financial Turnover from Chartered Accountant (Not applicable for BSNL enlisted Electrical contractors)
 - d. Documents fulfilling Eligibility criteria (Please note that in case the bidder is authorised by the manufacturer, the original authorisation letter is to be scanned and uploaded)
 - e. Enlistment certificate issued by BSNL, if applicable
 - f. Valid HT Electrical license issued by licensing authority, Govt. of Tamil Nadu
 - g. GST Registration Number Details, as applicable
 - h. PAN Card
 - i. EPF and ESI Registration certificate (if applicable)
 - j. Undertaking to abide by EW-6 and EW-8 (Form 'A')
 - k. Undertaking regarding EPF and ESI provisions (Form 'B')
 - l. Certificate of work experience issued by client department (Form 'C') if applicable
 - m. Undertaking regarding No Near relative working certificate (Form 'D')

Not uploading the above documents, (even if the documents are submitted physically) shall lead to disqualification.

2. The Physical Tender Fee, EMD, the original authorisation letter by the manufacturer (wherever applicable), (the scanned copies of which are uploaded) shall be deposited in the tender box available in the office of tender opening authority, by the bidder before 3:00 PM on the tender opening date, failing which the tender shall not be opened.

BSNL EW-6

Bharat Sanchar Nigam Limited
Electrical Wing

Electrical Division: ED-I, Chennai

Sub Division: III, Chennai

Item rate tenders on single bid system are invited on behalf of CMD,BSNL for the work **“Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.”** from the eligible bidders as per NIT notification. The enlistment of the bidders should be valid on the opening date of tender. In case the date of opening of tender is extended, the enlistment of bidder should be valid on the original date of opening of tender.

1. Intending bidder is eligible to submit the bid provided that he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority as per the eligibility conditions mentioned in the NIT notification page.
2. The work is estimated to cost **Rs.8,73,301/-(Excluding GST)** This estimate, however, is given merely as a rough guide.
3. Agreement shall be drawn with the successful bidder on prescribed form as amended up to the date of opening of tender. Bidder shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
4. The time allowed for carrying out the work will be **three months** from the 10th day after the date of written order to commence the work.
5. The site for the work is available / or the site for the works shall be made available in parts. The successful bidder shall execute the work in coordination with other agencies working in the campus.
6. The bid documents consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.tenderwizard.com/BSNL at free of cost. The BSNL EW-8 document can be seen from the web site www.chennai.bsnl.co.in at free of cost.
7. After submission of the bid, the bidder can re-submit revised bid any number of times but before last time and date of submission of tender as notified. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. The Tender Fee in the form of Demand Draft issued by the Nationalized / Scheduled bank authorized by the Reserve Bank of India, drawn in favour of BSNL, CHENNAI TELPHONES payable at CHENNAI shall be scanned & uploaded in the e-tendering website within the period of tender submission. The validity of the tender cost in the form of DD shall be **60 days** from the date of opening.
9. ~~The Earnest money deposit (EMD) in the form of Demand Draft / FDR / BG (BG is only for Air Conditioning, Diesel Engine Alternator, Lifts, and Sub Station works wherever the amount of EMD is more than Rs.20,000)/ CDR of a nationalized / scheduled bank authorized by the Reserve Bank of India, drawn in favour of BSNL, CHENNAI TELPHONES payable at CHENNAI shall be scanned & uploaded in the e tendering website within the period of tender~~

~~submission. The validity of the EMD in the form of DD shall be 60 days from the date of opening. If the EMD is in the form of CDR/FDR/BG, the validity shall be 180 days from the date of opening. In case of L1 bidder, the validity of CDR/FDR/BG is to be extended up to the observation period as that of the Performance guarantee / Security deposit.~~

10. The Physical **TENDER COST** and **EMD** of which the scanned copy is uploaded shall be deposited by all the bidders before 3:00 PM on the tender opening date, failing which the tender shall not be opened.
11. Interested bidder who wishes to participate in the bid shall pay the e-tender processing fee to M/s. ITI Limited through their e-gateway by credit / debit card / internet banking / RTGS / NEFT facility.
12. All the documents as specified in the tender document shall be scanned and uploaded to the e-Tendering website within the period of bid submission.
13. Online bid documents submitted by intending bidders shall be opened only of those bidders, who have deposited e-Tender Processing Fee with M/s ITI Limited and Earnest Money Deposit and other documents fulfilling eligibility criteria, scanned and uploaded are found in order.
14. The last date for online submission of bid is 09-11 -2021 **up to 3:00 PM** and the bid submitted shall be opened at **03:30 on PM** 09-11-2021. If a holiday is declared on the tender opening day, the tender will be opened on the next working day.
15. The e-Tender processing fee is non-refundable.
16. **Performance Guarantee:** The bidder is required to furnish Performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee/CDR/FDR/DD (of a nationalized/ Scheduled Bank in a standard format) within two weeks from the date of issue of acceptance letter. This period can be further extended by the Engineer-in-charge up to a maximum period of two weeks on written request of Bidder. The validity period of the performance security in the form of performance bank guarantee shall be: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works. **In case the bidder fails to deposit the said performance guarantee within the stipulated period, including the extended period if any, the Earnest Money deposited by the bidder shall be forfeited automatically without any notice to the bidder and the bidder will not be allowed to participate in the re tendering for the same work.**
17. **Security Deposit:** In addition to Performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum be deducted with the sum already deposited as earnest money, will amount to security deposit of 5% of the contract value of the work. **The security deposit shall be released after an observation period as follows: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works.**
18. In case any discrepancy is noticed in the documents as uploaded at the time of submission of the bid online, then the bid submitted shall become invalid and the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further, the bidder shall not be allowed to participate in the retendering process of the work.

19. Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
20. The competent authority on behalf of the CMD does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected. The competent authority on behalf of CMD reserves to himself the right of accepting the whole or any part of the tender and the bidder shall be bound to perform the same at the rate quoted.
21. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the bidders who resort to canvassing will be liable to rejection.
22. Agreement shall be drawn with the successful bidder on prescribed form. Bidder shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.
23. The bidder should give a certificate as per the following that none of his/her relative is employed in BSNL units as per **Form 'D'**. In case of proprietorship firm, certificate will be given by the proprietor and for partnership firm certificate will be given by all the Directors of the company.
 - a. Near relatives of all BSNL employees either directly recruited or on deputation are prohibited from participation in tenders and execution of works in the different units of BSNL. The near relatives for this purpose are defined as:
 - i. Members of a Hindu Undivided family.
 - ii. They are husband and wife.
 - iii. The one is related to the other in the manner as father, mother, son(s) & son's wife(daughter-in-law), Daughter(s) & daughter's husband(son-in-law), brother(s) & brother's wife, sister(s) & sister's husband(brother -in-law).
 - b. The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is(are) posted. The unit is defined as SSA/Circle/Chief Engineer/Chief Archt./Corporate office for non-executive employees and all SSA in a circle including circle office/Chief Eng./Chief Archt./Corporate office for executive employees (including those called as Gazetted officers at present). The bidder should give a certificate that none of his/her such near relative is working in the units as defined above where he is going to apply for tender/work, for proprietorship, partnership

firms and limited company certificate shall be given by the authorized signatory of the firm. Any breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money/performance guarantee will be forfeited at any stage whenever it is so noticed. BSNL will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

- c. No employee in BSNL/ Govt. of India is allowed to work as a contractor for a period of two years of his retirement from service without the prior permission. The contract is liable to be cancelled if either the bidder or any of his employees is found at any time to be such a person who had not obtained the permission as aforesaid before submission of tender and engagement in the bidders service.
24. The tender for the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders. If any bidder withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
25. The agency has to comply with the provisions of EPF and miscellaneous provisions Act-1952 and employees provident fund scheme-1952 as amended up to date in respect of labours/employees engaged by them for this work. Any consequence arising due to non-complying of provisions as specified above shall be the sole responsibility of the firm only. The agency shall give an undertaking to this effect as per **Form 'B'**.
26. **Extension of Validity of tender:** In case, where the letter of award of work cannot be placed within the validity period of the tender, the BSNL can request the bidder to extend the validity of their respective tenders and the Earnest Money deposit by a reasonable period. In such cases, extension of validity of Earnest Money deposit by 30 days beyond the extended validity date of tender should also be asked for. While BSNL can make the request for extension, the tenderer is free to either extend the validity or refuse the request to extend the validity.
27. Rates quoted by the contractor shall be firm and shall be valid for the currency of contract. No cost escalation shall be permitted during the currency of contract.
28. This notice inviting tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a. The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender, subsequent amendments issued and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b. Standard BSNL EW-8 form.

GENERAL INSTRUCTIONS TO THE BIDDERS

1. The intending bidder must read the terms and conditions of BSNL-EW 6 carefully. He should only submit his bid, if he considers himself eligible and he is in possession of all the documents required.
2. Information and instructions for bidders posted on website shall form part of bid document.
3. Applicants are advised to keep visiting the above mentioned website from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.
4. Those bidders not registered on the website mentioned above, are required to get registered themselves beforehand. The intending bidder must have valid class-III digital signature to submit the bid.
5. On opening date, the bidder can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
6. Bidder can upload eligibility documents in the form of JPG format or / and PDF format. Documents uploaded in any other format, which could not be opened may result in non opening of the bids.
7. Bidder must ensure to quote rate of each item. The column meant for quoting rate in figures appears in yellow colour. In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO)
8. Even though any bidder may satisfy the above requirements, he would be liable to disqualification if he has:
 - a. Made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the eligibility criteria document.
 - b. Record of poor performance such as abandoning work, not properly completing the contract, or financial failures / weaknesses etc.
9. If any information furnished by the bidder is found incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of works in BSNL. The BSNL reserves the right to verify the particulars furnished by the applicant independently.
10. GST and any other tax applicable in respect of this contract as applicable shall be borne by the bidder himself. The bidder shall quote his rates considering all such taxes. The TDS as per the Govt. regulations will be recovered from the contractor.
11. **Tender Evaluation :**
 - (a) The evaluation and comparison of responsive bids shall be done on the basis of **Net cost to BSNL** on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST. The bid with lowest net cost as elaborated above will be the L1 bidder.
 - (b) Vendors should furnish the correct GST Rate in the price schedule. If the Input Tax Credit is found to be not admissible at any stage subsequently owing to wrong furnishing of GST Rate, then the vendors will be liable to refund such non-admissible amount, if already paid, along with penalty if charged by the concerned authority.
12. However, pursuant to the constitution (Forty-sixth amendment) act, 1982, if any further tax or levy is imposed by statute, after the last date of receipt of tenders, and the contractors there upon necessarily and properly pays such taxes/ levies, the contractor shall be reimbursed the amount so paid, provided such payment, if any, is not in the opinion of Superintending engineer

(whose decision shall be final and binding) be attributable to delay in execution of work within the control of contractor.

13. The Contractor shall, within a period of 30 days of imposition of any further tax or levy in pursuant to the constitution of (Forty sixth amendment) act 1982 give a written notice thereof to the Engineer-in-charge that the same is given pursuant to this condition, together with all necessary information relating thereto.

14. Bye laws Indemnity against liabilities:

- a. The bidder shall comply with all by laws and regulations of the local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving and receiving all necessary notices and keep the Engineer-in-charge informed about the notices issued and received.
- b. The bidder shall indemnify the department against all claims in respect of patent rights design, trademark or name of other protected rights in respect of any plant, machine, work or materials used for or in connection with the works or temporary works and from and against all claims demands, proceedings, costs, charges and expenses whatsoever in respect of or in relation thereto.
- c. The bidder shall defend all actions arising from such claims and shall himself pay all royalties, License fees, damages, costs and charges of all and every sort that may be legally incurred in respect hereof shall be borne by the bidder.
- d. All liabilities / penal recoveries on matters arising out of tax/levies such as incorrect deductions discrepancies in the filing of returns, revised assessments by the concerned authorities etc., shall be borne by the bidder.

15. Termination of contract on death of contractor :

Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.

16. Indulging of contractor in criminal /antisocial activities and cases under investigation/charge sheeted by CBI or any other government agencies etc. :

If the CBI/Independent External Monitor (IEM) /Income tax/ Sales Tax /GST/Central Excise/Custom Departments recommend such a course - Action will be taken as per the directions of CBI or concerned department.

17. As a general notion, the terms and conditions/instructions contained in various pages of this document are addressed assuming the bidder as 'Male'. However, the same shall remain and assumed to be addressed in case of 'Female' bidder also, except for the gender centric words, which shall be 'female' centric at appropriate places.

18. **Factory Visit:** The contractor has to arrange for a factory visit by the DISCOM official accompanied by a BSNL representative. No extra charges for the same shall be paid.

FORM 'A'

Undertaking to abide by EW 6 & EW 8

"I.....Son of
.....Resident of hereby give an
undertaking that I have read the complete bid document and I am aware of all the clauses and
sub clauses of BSNL EW 6 & 8 forms and I confirm that I will abide by all the terms and conditions
available in original standard BSNL EW 6 & 8 forms.

(Seal of the firm)

(Signature of Bidder)

FORM 'B'

Undertaking regarding EPF provisions

"I..... Son of
.....Resident of hereby give an
undertaking that

* I/We have employed only ----- persons in our establishment and hence the EPF and
Miscellaneous provisions Act, 1952 are not applicable to my / our establishment.

* I/ We have registered as per the EPF and Miscellaneous provisions Act, 1952 and our
registration no is ----- . We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL
shall have the absolute right to take any action as deemed fit/without any prior intimation to
me".

* strike out whichever is not applicable

**Attach a self-attested photo copy of the above said EPF registration certificate.

(Seal of the firm)

(Signature of Bidder)

Undertaking regarding ESI provisions

"I..... Son of
.....Resident of hereby give an undertaking that

* I/We have employed only ----- persons in our establishment and hence the ESI and Miscellaneous provisions Act,1948 is not applicable to my / our establishment.

* I/ We have registered as per the ESI and Miscellaneous provisions Act, 1948 and our registration no is ----- . We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me".

* strike out whichever is not applicable

** Attach a self-attested photo copy of the above said ESI registration certificate.

(Seal of the firm)

(Signature of Bidder)

FORM 'C'

Performance report of works

1. Name of work
2. Agreement no.
3. Final Value of Work Done
6. Date of start
7. Actual date of completion
8. Performance: Satisfactory / Not Satisfactory

Dated:

Executive Engineer or Equivalent /above

FORM 'D'

No Near relative working certificate

I..... Son of Shri.....Resident of..... hereby certify that none of my relative(s) as defined in the tender document is/are employed in BSNL unit as per details given in tender document. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me.

(Seal of the firm)

(Signature of Bidder)

**MODEL FORM OF BANK GUARANTEE
(For submitting EMD)**

Whereas _____ (hereinafter called "the contractor(s)")
has submitted its Tender dated _____ for the work _____

KNOW ALL MEN by these presents that WE _____
OF _____ having our registered office
at _____ (hereinafter called "the Bank") are bound unto
_____ (hereinafter called "the BSNL") in the sum of
_____ for which payment will and truly to be made of the said BSNL,
the Bank binds itself, its successors and assigns by these presents.

THE CONDITIONS of the obligation are:

1. If the Contractor(s) withdraws its Tender during the period of Tender validity specified on the Tender Form: or
2. If the Contractor(s) having been notified of the acceptance of its Tender by the BSNL during the period of Tender validity.
 - (a) Fails or refuses to execute the Contract.
 - (b) Fails or refuses to furnish security Deposit in accordance with the conditions of Tender document.

We undertake to pay to the BSNL up to the above amount upon receipt of its first written demand, without the BSNL having to substantiate its demand, provided that in its demand, the BSNL will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as specified in the Tender Document up to and including Thirty (30) days after the period of the Tender validity and any demand in respect thereof should reach the Bank not later than the specified date/dates.

Signature of the Bank

Signature of the Witness

Name of Witness

Address of Witness

ANNEXURE II

PERFORMANCE SECURITY GUARANTEE BOND

In consideration of the CMD, BSNL (hereinafter called 'BSNL') having agreed to exempt _____ (hereinafter called 'the said bidder(s)') from the demand under the terms and conditions of an agreement/Advance Purchase Order No _____ dated _____ made between _____ and _____ for the supply of _____ (hereinafter called "the said agreement"), of security deposit for the due fulfillment by the said bidder (s) of the terms and conditions contained in the said Agreement, on production of the bank guarantee for _____ we, (name of the bank) _____ (hereinafter refer to as "the bank") at the request of _____ (bidder(s)) do hereby undertake to pay to the BSNL an amount not exceeding _____ against any loss or damage caused to or suffered or would be caused to or suffered by BSNL by reason of any breach by the said Bidder(s) of any of the terms or conditions contained in the said Agreement.

2. We (name of the bank) _____ do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the BSNL by reason of breach by the said bidder(s)' of any of the terms or conditions contained in the said Agreement or by reason of the bidders(s)' failure to perform the said Agreement. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee where the decision of BSNL in these counts shall be final and binding on the bank. However, our liability under this guarantee shall be restricted to an amount not exceeding _____.

3. We under take to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the bidder(s)/supplier(s) in any suit or proceeding pending before any court or tribunal relating thereto our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharge of our liability for payment there under and the bidder(s)/supplier(s) shall have no claim against us for making such payment.

4. We(name of the bank) _____ further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till _____ (office/BSNL) BSNL certifies that the terms and conditions of the said Agreement have been fully or properly carried out by the said bidder(s) and accordingly discharges this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the expiry of TWO/TWO AND HALF/THREE YEARS (as specified in P.O) from the date hereof, we shall be discharged from all liabilities under this guarantee thereafter.

5. We (name of the bank) _____ further agree with the BSNL that the BSNL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said bidder(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the BSNL against the said Bidder(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Bidder(s) or for any forbearance, act or omission on the part of the BSNL or any indulgence by the BSNL to the said Bidder(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Bidder(s)/supplier(s).

7. We (name of the bank) _____ lastly undertake not to revoke this guarantee during its currency except with the previous consent of the BSNL in writing.

Dated the _____ day of _____

for _____ (indicate the name of bank)

Annexure-III

Bid Security/EMD DECLARATION (As per the BSNL CO Ltr No.BSNLCO-MMT/12(15)/1/2020-MMT dated 05-12-2020)

BID SECURITY / EMD UNDERTAKING & DECLARATION

I / We R/o
..... And authorized signatory of the firm M/s.
.....(Hereafter referred to as bidder) have read, understood and agree with all the terms and conditions included in the tender documents for participation in the tender of work/supply of
..... vide tender No..... do hereby undertake and declare that:

1. If I/We fail to enter in to the agreement & commence the work in time as per BSNL order.
2. If any loss or damage caused to or would be caused to or suffered by the BSNL by reason of breach by the bidder(s) of any of terms or conditions contained in the said tender document or by reason of the bidder(s) failure to perform the said agreement.
3. If anything is found false and / or incorrect and / or reveals any suppression of fact at any time.
4. If the bidder either registered with body specified by Ministry of Micro, Small & Medium Enterprise or Non MSE bidder claiming any concessional benefits is awarded work by BSNL and subsequently fails to obey any of the contractual obligations.

I hereby undertake that under any/all the above conditions, BSNL reserves the right to debar our tender offer / cancel the LOA/purchase/work order if issued, and to suspend/Debar/Ban for a period of one year from the date of such order/instance. BSNL can debar my/our firm from any further work/contract by BSNL for one year from the date of issue of such order.

In lieu of EMD/Bid Security, this declaration is submitting.

Date:..... Signature of the tenderer.....

Place : Name of tenderer.....
Along with date & Seal

IMPORTANT INSTRUCTIONS TO THE TENDERERS

Please note that the offers, which do not comply the following, will not be considered and will be totally rejected. These instructions supersede the BSNL/EW 8 clauses in case of any Disparity.

1 (i) INCREASE /DECREASE OF TENDERED QUANTITY

a) BSNL will have the right to increase or decrease up to 25% of the Contract value depending upon the requirement of goods and services specified in the schedule of items without any change in the unit price or other terms and conditions at the time of award of contract.

b) In exceptional situation where the requirement is of an emergent nature and it is necessary to ensure continued supplies from the existing vendors, the purchaser reserves the right to place repeat orders up to 50% of the quantity of goods and services contained in the running tender/contract within a period of 12 months from date of award of work at the same rate or a rate negotiated (downwardly) with the existing vendors considering the reasonability of rates based on prevailing market conditions and the impact of reduction in duties and taxes etc.

1 (ii) CURTAILMENT OF QUANTITY:-

BSNL reserves the right to enforce curtailment in the assigned quantum of work for any contractor on the grounds of defaults/delay in regard to execution of the individual work assigned.

2) COMPLETION OF WORK:-

At the time of issuing NIT for a particular work, the time allowed for completion of work consistent with magnitude and urgency of work is specified. The time allowed for carrying out the work as entered in the contract is reckoned from the tenth day after the date on which the orders to commence the work are given to the Contractor. To ensure good progress of the work during the execution, the contractor is bound in all cases in which the time allowed for any work exceeds one month (except special jobs) to complete $1/8^{\text{th}}$ of the whole of the work before $1/8^{\text{th}}$ of the time allowed under the contract has elapsed, $3/8^{\text{th}}$ of the work before half of the time has elapsed and $3/4^{\text{th}}$ of the work before $3/4^{\text{th}}$ of such time has elapsed. However, for special jobs, if a time schedule has been submitted by the Contractor and the same has been accepted by the Engineer-in-charge, the contractor shall comply with such time schedule. For Substation, the work is deemed to have been completed after clearance by Electrical Inspector.

3) EXTENSION OF TIME:-

If the contractor shall desire an extension of time for completion of work on the grounds of his having been unavoidably hindered in its execution or on any other grounds, he shall apply in writing to the Engineer in charge within 30 days of the hindrance on the account on which he desires such extension as aforesaid, and the Engineer in charge shall if in his opinion reasonable grounds to be shown therefore, authorize such provisional extension of time, if any as in his opinion be necessary are proper.

4) **COMPENSATION FOR DELAY :**

If the contractor fails to maintain the required progress or complete the work and clear the site on or before the contract or extended date of completion, he has to pay the compensation for delay which is limited to 0.5% per week of the tendered value for the first 10 weeks and 0.7% per week for next 10 weeks and thereafter subject to a maximum of 12% of the tendered value for the location where the work is delayed and the firm is found responsible for the same. The clause 2 of BSNL - 8 forms stands modified accordingly. Flow chart of the Procurement process/ contract shall be supplied by the contractor and approved by Executive Engineer concerned.

5) **TERMS OF PAYMENT:**

Quarterly Payment shall be made after completion of maintenance period. With each bill, a certificate from the Contractor that maintenance has been carried out properly and testing / drills etc. required during the period have been performed in addition to the penalty explicitly indicated under penalty clauses.

6) **EPF PROVISIONS:-**

The agency has to comply with the provisions of EPF and miscellaneous provisions Act-1952 and employees provident fund scheme-1952 as amended up to date in respect of labours /employees engaged by them for this work. Any consequence arising due to non- complying of provisions as specified above shall be the sole responsibility of the firm only.

Agency has to observe all the labour rules & regulation in force. Agency shall be fully responsible for any violation observed at any time.

7) **PROGRAMME FOR EXECUTION**

The firm shall supply detailed programme to Engineer-in-Charge for execution of contract within fifteen days of award of work. The programme shall contain details about submission of drawing, supply of materials, tentative dates for installation and commissioning.

8) **STORES AND SAFETY**

All the stores and materials required for the satisfactory completion of the work shall be arranged at work site by the contractor from his own source. Space for storing the same materials may be provided on request from the contractor. However safe custody of the material stores at site will be responsibility of the contractor.

9) **CO-ORDINATION AT SITE**

At the site of work more than one agency may be working. Full cooperation shall be extended to other agencies during the progress of work. Further work shall be carried out in such a way so that it may not cause abnormal noise and hindrance to the officers of the BSNL engaged in erection as well as to normal routine work.

10) COMPLETION DRAWINGS

The firm shall supply three sets of drawings/documents after completion of the work but before the proposed date of completion of work.

- ❖ Schematic diagram of control wiring.
- ❖ Operation and maintenance manual.

11) CHANGES IN SPECIFICATIONS

The BSNL reserves the right to make changes in respect of specifications of work if in its opinion same is found necessary. However such alterations shall be made after mutual discussions and agreement between the BSNL and the contractor. Any price implications in this regard shall be mutually discussed and agreed upon in terms of clause 12 of EW forms. The BSNL as matter of principle will not permit modifications by the contractor in design /specifications of any document /material. However the same can be agreed upon by the BSNL under exceptional circumstances where

- a) The same is necessitated due to non-availability of material/components of certain specifications/make.

Or

- b) Such alterations constitute an improvement in the opinion of BSNL.

Prior approval is necessary before undertaking any alteration/modification in the specifications of the equipment.

12) I.S. Standards:

The entire system shall conform to relevant BIS including safety standards as amended up to date. Where IS standards are not available the British standard(s) shall be followed. In case of conflict, the requirements of these specifications shall be given over-riding priority. The electrical and earthing work shall be carried out as per CPWD specifications for electrical works (internal) and electrical works (external) as amended up to date. A list of relevant standards, approved makes of equipment is furnished and forms part of the tender document.

| Name of work: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai. | | | | | | | | | | |
|--|---|-----|------|------|------------------------|--------|---------------|--------|---------------|----------------------------|
| Sl. no | Description of Items | Qty | Unit | Rate | Total Amount excl. GST | CGST | | SGST | | Total Amount including GST |
| | | | | | | % Rate | Rate per unit | % Rate | Rate per unit | |
| 1 | 2 | 3 | 4 | 5 | 6 = 3x5 | 7 | 8 = 6x7 | 9 | 10 = 6x9 | 11 = (6+8+10) |
| 1 | <p>Supply of indoor type RMG of 11 KV, 3 Phase 50 Hz, 500 MVA three unit Indoor type HT Ring main gear (RMG) of totally enclosed, free standing, sheet steel clad, cubicle pattern, complete with 3 sets of 630A (50x10mm HS type sleeved) copper bus bars and comprising of the following etc as reqd.</p> <p>a) Incoming Unit - 2 sets Each incoming unit shall comprise of 1 No Triple Pole, 630A, Non automatic, quick break, load breaking, Air break isolator, with spring assisted closing mechanism fitted as per attached technical specification</p> <p>b) Outgoing Unit - 1 set Each Outgoing unit shall comprise of a Triple pole Vacuum Circuit breaker, horizontally isolated, horizontal draw out type, with rated current of 630A including all the protective devices measuring meters, installation materials and all other accessories conforming to attached technical specifications</p> <p>c) Tripping battery system complete with trickle charger operating from 230V AC mains for use with the tripping circuit of above Switch Board – 1 set.</p> <p>Note: The above panel shall conform to the specifications prescribed by the TANGEDCO for the Ring Main gears</p> | | | | | | | | | |

Unpriced schedule

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

| | | | | | | | | | |
|-----------------------|--|---------|--|--|--|--|--|-----------------------|--|
| | (All the above shall comprise of one Job) | 1Job | | | | | | | |
| 2 | Installation, testing and Commissioning of the 11KV RMG Unit described above item no:1 of part A complete i/c liasoning with the TANGEDCO authorities for erection of the RMG Unit and calibration of CT/PT units in MRT Lab of TANGEDCO. The scope of the work includes the liasoning with the TANGEDCO for arranging inspection, extending the supply, close co-ordination and complying with their directions i/c disconnecting the 11KV cables, reconnecting the same, testing and commissioning, Dismantling existing faulty RMG Panel and shifting the same to location indicated by Engineer in charge within compound etc as required. | 1Job | | | | | | | |
| 3 | Supplying and making indoor cable end termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for following size of 3 core, XLPE aluminum conductor cable of 11 KV grade as required. | | | | | | | | |
| a | 120 sqmm | 3job | | | | | | | |
| 4 | Supplying 2.5mm thick rubber mat suitable for 11KV HT supply conforming to IS:15652 -2007 as required. (ISI approved make only) | 2Sq.mtr | | | | | | | |
| 5 | Sign writing of details about RMG Panel with various sizes of font on 3'X2' size 24SWG MS sheet i/c the painting sheet and fixing the same on wall etc as required. | 1job | | | | | | | |
| Total excl GST | | | | | | | | Total incl GST | |

Unpriced schedule

IMPORTANT NOTES:-

| | |
|---|--|
| 1 | The firm shall be responsible to ensure that GST shown in the above columns is correct & Input Tax Credit for the amount shown above is admissible as per GST Act as amended up to date”. |
| 2 | Invoice /Bill should be pre-printed as per the GST format. |
| 3 | The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc. but excluding GST |
| 4 | The rates for all items of work shall, unless clearly specified otherwise, include cost of all labour, materials and other inputs involved in the execution of the terms as specified in the scope of work. |
| 5 | No advance payments can be made. Stipulations like levy of interest if payment is not made in a specified time are also not acceptable and the payment is governed by the normal BSNL practice. |
| 6 | Bidders must mandatorily quote for all GST components (CGST,SGST and IGST) as applicable. |
| 7 | Bidders must mandatorily mention correct HSN / SAC Codes |

Contractor

Executive Engineer(E)

Technical Specification of 11KV Indoor RMG as per TANGEDCO Norms

The RMG shall consist of at least 2 Nos. of Isolators and 1 No of Vacuum Circuit Breaker. The VCB panel shall be in the middle with one isolator at each side. In case of replacement of RMGs with more than two isolators the same No's isolators and breakers as in the existing gear, are to be erected without keeping the VCB panel at the end of the gear i.e. at least one isolator has to be connected in the gear on both sides of the VCB panel.

1. VCB shall consists of the following

| Sl No | Description | Remarks |
|-------|---|---|
| 1 | Service | Indoor RMG with horizontal draw out and isolators |
| 2 | Rated Voltage | 11KV |
| 3 | Current Ratings | 630Amps |
| 4 | Rated Breaking Capacity | 25 KV (500 MVA) |
| 5 | Rated Operating Duty | 0-3m-Co-3m-Co |
| 6 | Tripping | Both Mechanical and Electrical |
| 7 | Manual / Motors operated Spring Charge Mechanism | |
| 8 | 11KV, 25KA, 630A Interrupters | 3 Nos |
| 9 | 1 No Closing coil 110V DC | |
| 10 | 1 No Tripping coil 110 V DC | |
| 11 | Mechanical On/Off Indicator | |
| 12 | Mechanical On/ Off Pushbutton | |
| 13 | 8 Nos + 8 Nos Auxillary Contacts | |
| 14 | Operating Counter | |
| 15 | Mechanical Spring charge indicator | |
| 16 | Self aligned 24 pin plug & socket | |
| 17 | Test / Service position indicator | |
| 18 | Anti pumping Relay | |
| 19 | Automatic Safety shutter | |
| 20 | Power pack with stored energy to meet five tripping | To be connected to the auxiliary AC Supply-230V |
| 21 | The Gland plates shall be of non magnetic material | |
| 22 | Insulation level | 12KV / 28KV / 75KV (Peak) |
| 23 | Finish | Powder Coated (Light Grey Shade) |

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

2) **Current Transformer (Outgoing):**

3 Nos. of dual core resin cast Current Transformers are required.

| Sl. No. | Description | Remarks |
|---------|--|---|
| 1 | Insulation | Epoxy Cast Resin |
| 2 | No. of Core | Dual |
| 3 | Ratio | Shall have the ratio as required for the demand with one more ratio generally the multiple of the required ratio. |
| 4 | Metering | Class 0.2S, Burden 5VA |
| 5 | Protection | Class 5P20, Burden 15VA |
| 6 | Metering core wiring shall be made from CT secondary to Test Terminal block. | |

3) **Potential Transformer (Outgoing):**

| Sl. No. | Description | Remarks |
|---------|---|-------------------|
| 1 | Insulation | Epoxy Cast Resin |
| 2 | Type | Draw Out |
| 3 | Ratio | 11KV v3 / 110V v3 |
| 4 | Class | 0.2 |
| 5 | Burden | 50VA |
| 6 | Draw out PT shall be connected on bus side and shall have fuse on HV and LV side with sealing facility. | |

4) **BUSBAR Details:**

| Sl. No. | Description | Remarks |
|---------|------------------------|---|
| 1 | Materials | Copper |
| 2 | Phase | 50mm X 10mm (1 Run per phase for main bus) |
| 3 | Earth | 25mm X 6mm (1 Run for main earth) 25mm X 3mm (1 Run for dropper earth) |
| 4 | Bus bar HT Sleeve | "R" phase – Red color heat shrinkable HT sleeve "Y" phase – Yellow color heat shrinkable HT sleeve "B" phase – Blue color heat shrinkable HT sleeve |
| 5 | Bus bar support | Epoxy resin cast |
| 6 | Door & Equipment earth | 2.5Sq.mm PVC Copper Green Color multi strands wires. |

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

5) **Indicating Lamps:**

| Sl. No. | Description | Remarks |
|---------|---|---|
| 1 | Type | LED |
| 2 | VCB on | Red Color |
| 3 | VCB off | Green Color |
| 4 | VCB trip | Amber Color |
| 5 | Trip circuit healthy | White Color |
| 6 | Spring Charged | Blue Color |
| 7 | Phase Indication | "R" phase - RED, "Y" phase – Yellow, "B" phase – Blue |
| 8 | All indication lamps and heaters shall be connected to 230V AC. | |

6) **PUSH BUTTON:**

| Sl. No. | Description | Remarks |
|---------|--------------------------------------|-------------------------|
| 1 | Type | Flush cut out 2.5 mm ID |
| 2 | Test trip circuit healthy pushbutton | Black |
| 3 | Emergency trip pushbutton | Red |

7)Indicating Meter

| Sl.No | Description | Remarks |
|-------|--|---|
| 1 | Ammeter/Voltmeter | Analog type with dual scale for the Ammeter |
| 2 | Size | 144x144Sq.mm |
| 3 | Mounting | Flush |
| 4 | 5 position selector switch for Ammeter | |

8) **Relay:**

The relay for 2 O/L and 1 E/L for protection shall be of 1.3 second with instantaneous elements.

9) **Test Terminal Block:**

| Sl.No. | Description | Remarks |
|--------|---|-----------------|
| 1 | Type | Link Type |
| 2 | Input | 3 phase, 4 wire |
| 3 | Amps | 15 Amps |
| 4 | The test terminal block shall be completely closed and shall have sealing facility. | |

10) **BUSBAR Clearances:**

| Sl.No. | Description | Remarks |
|--------|--------------------------------------|---------------------|
| 1 | Phase to Phase | Not less than 130mm |
| 2 | Phase to Earth | Not less than 80mm |
| 3 | Phase identification | Colored Sleeves. |
| 4 | Bus bar insulation suitable for 11KV | |

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

11) **Panel shall be provided with the following:**

- a. 1 No. of cubical illumination lamp 230V AC, 20Amp(CFL with door switch)
- b. 1 No. of 5Amps, 230V AC, plug and socket along with piano type On/Off switch for outgoing panel only.
- c. 1 No. space heater controlled by thermostat with On / Off toggle switch.

12) **Wiring and Terminal block details:**

| Sl.No. | Description | Remarks |
|--------|----------------|--|
| 1 | Cable | 4 Sq.mm PVC flexible copper cable for CT wiring and 2.5Sq.mm PVC flexible copper cable for all control circuits. |
| 2 | Color code | AC circuit – Black DC circuit – Grey Red, Yellow, Blue for indicating phase circuits |
| 3 | Terminal block | Disconnecting type of TB for CT wiring and 6Sq.mm clip on type for control wiring. |

13) **Meter:**

TNEB scope space for providing meter shall be made in front panel. Metering circuit shall be wired for three phase four wire system.

14) **Isolators:**

- g) The RMG shall have two isolators with earth switches and provision for mechanical interlock. The isolators shall be rated for 630Amps.
- h) The isolators shall have On / Off indicators both Electrical and Mechanical.
- i) The isolators shall be equipped with a voltage indication to indicate whether there is voltage or not on the cable.
- j) The isolator shall have facility to check the synchronization of phase with the use of external device.

Apart from the above, sealing facility for PT cut out, CT chamber, LV panel door, front door and back door shall be provided.

15) **Test Certificate:**

- a) The Test Certificate of the VCB, Relay, CTs and PT are to be furnished by the tenderer for pre-commissioning test.
- b) The copies of operating manual and the technical details of the gear shall be furnished by the tenderer to MRT as well as the Assistant Engineer (O&M) of TNEB the section where the service is to be effected.
- c) A technical representative of the RMG supplier shall be made available during PCT works to assist in the commissioning activities.

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

LIST OF APPROVED MAKES – BSNL ELECTRICAL WING

| S.No. | Item | Makes |
|-------|--|--|
| 1 | Engine | Ashok Leyland /Cummins/ Cater pillar /KOEL/ Volvo Penta / Mahindra & Mahindra (up to 200 KVA) /Escorts (up to 30 KVA)/ Eicher (up to 35 KVA) |
| 2 | Alternator(Brushless) | Crompton Greaves (AL. series) / KEC / Leroy Somer / Stamford/Jyoti Ltd |
| 3 | Battery (Lead Acid / Mntc. Free) | Amara Raja / AMCO / Farukawa / Hitachi / Exide/ Prestolite / Standard |
| 4 | HV Switchgear (Vacuum Circuit Breaker/SF6)* | Biecco Lawrie / Crompton / Kirloskar / MEI / Jyoti Ltd |
| 5 | Transformer (Oil filled / Dry type) a) Above 400 KVA | ABB / Schneider Electric /Andrew Yule / Bharat Bijlee / Crompton / EMCO /Kirloskar / Siemens |
| | b) Up to 400 KVA | In addition to above makes, Uttam/ Patson /Rajasthan Transformer and Switchgear |
| 6 | Air Circuit Breaker | L&T/ Schneider Electric / Siemens |
| 7 | MCCB(lcs=Icu) | L&T/ Schneider Electric / Siemens |
| 8 | SDF units | L&T/ Schneider Electric / Siemens/HPL/Havells |
| 9 | Power Contactors | L&T/ Schneider Electric / Siemens/ Lakshmi(LECS) |
| 10 | Change Over Switch | HPL / Havells / H-H Elcon |
| 11 | Intelligent APFC Relay | L&T/EPCOS(Siemens)/ Schneider Electric / Neptune Ducati/Syntron/ABB |
| 12 | Bus Bar Trunking/ Sandwiched Bus Duct | Moeller/L&T/Schneider Electric/ABB/ Legrand /Zeta |
| 13 | Power Capacitors (MPP/APP) | L&T/EPCOS(Siemens)/ABB/Crompton/ Schneider Electric / Neptune Ducati |
| 14 | Digital/ KWHr meter | Schneider Electric/ AE/ Digitron / IMP/Meco / Rishabh /Universal/HPL/L&T/ABB/Yokins |
| 15 | Cold shrink HT/LTCable Joint | Denson / 3M(M-Seal)/ Raychem |
| 16 | Rubber Matting | ISI mark |
| 17 | MCB/ Isolator /ELCB/RCCB/ Distribution Board | Crompton / Havells / Indokopp / MDS Legrand / L&T / Schneider Electric/ Siemens / Standard/ABB/HPL |
| 18 | MS/ PVC Conduit | ISI mark |
| 19 | Cable Tray | MEM/Bharti/Ratan/Slotco/Profab |
| 20 | HT/LT Cables | ISI mark |
| 21 | PVC insulated copper conductor wire | ISI mark |

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

| | | |
|----|----------------------------------|---|
| 22 | Centrifugal Pump | Amrut / BE / Beacon / Batliboi /Crompton / Jyoti / Kirloskar / KSB / Mather &platt / WASP/Grundfos |
| 23 | Submersible Pump | Crompton/Amrut / BE / Calama / Kirloskar / KSB |
| 24 | Motors | ABB/ Bharat Bijlee / Crompton Greaves / Schneider Electric / HBB / KEC / Siemens/Jyoti Ltd |
| 25 | Fresh Air Fans | GE / Khaitan/Almonard/Crompton |
| 26 | Starter | ABB / BCH / Schneider Electric / L&T / Siemens / |
| 27 | Single Phase Preventer | L&T / Minilec / Siemens / Zerotrip |
| 28 | GI/MS Pipe | ATC / ATL / BST / GSI / ITC / ITS / IIA / JST / Jindal /TTA / Tata/Zenith |
| 29 | Foot Valve | ISI mark |
| 30 | Gate Valve | Advance/Audco/Johnson Controls / Zoloto /Annapurna / Fountain /Kirloskar / Leader / Sant / Trishul |
| 31 | Compressors | Carrier/Emerson copeland/York/Danfoss (for chillers only) |
| 32 | Resin Bonded Glasswool | Fibre Glass / Pilkington / UP Twiga |
| 33 | Expanded Polystyrene | BASF(India) Ltd. |
| 34 | Gauge | Feibig / H.Guru / Pricol |
| 35 | Controls | FLICA / Honeywell / Indfoss / Penn- Danfoss / Ranco / Ranutrol / Sporland |
| 36 | Fine Filters | Anfiltra Effluent / ARW / Athlete/ Airtake / Dyna / Kirsloskar/ Puromatic/ Purafill/ Purolator / Tenacity |
| 37 | GI Sheet | HSU Jindal / National / Nippon Denro / Sail / Tata |
| 38 | Heat Detector | Appollo / Chemtron/ Edward / Fenwal/ Hochiki / Nitton /System Sensor/ Wormald/Honeywell Essar/Notifier |
| 39 | Ionization Detector | Appollo / Cerebrus / Edward/ /Fenwal / Hochiki / Nitton / System Sensor /Wormald |
| 40 | Photo Electric SmokeDetector | Appollo / Cerebrus / Edward / Fenwal/ Hochiki / Nitton / Wormald /System Sensor |
| 41 | Fire Panel(Microprocessor based) | Agni Instruments / Agni Devices/ Aruna Agencies / Carmel Sensor / Ravel Elect. / Honeywell Essar / Notifier / Navin Systems |
| 42 | Sprinkler/ Hose Reel &Hose Pipe | ISI mark |
| 43 | Fire Extinguisher | ISI mark |
| 44 | Lift | OTIS, Kone, Mitsubishi , Schindler, Johnson, Thyssenkrupp Elevator(India) |

Name of work: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

NOTE:

1. Any other make approved by PCE (E)/ CE (E) of this zone till date of opening of tender can also be used in this contract.
2. The accessories such as CT/PT/measuring instrument/relays provided by approved make in respect of Transformer/HT Panel/DG /AC Package Units as supplied by approved manufacturer along with the equipments are also acceptable in addition.
3. Any other makes which are approved by BSNL CO up to the last date of sale of tender can also be used in this contract.

RELEVANT IS STANDARDS

| <u>STANDARDS</u> | <u>TITLE</u> |
|--------------------------|---|
| IS 11171- 1985 | Dry type transformer |
| IS 10028 (Part-II & III) | Installation & Maintenance of Transformers |
| IS 2099:1986 | Bushings |
| IS 2705 | Current transformers |
| IS 3961 (Part-II)-1967 | PVC insulated PVC sheathed Heavy duty cables |
| IS 2675-1983 | HRC cartridge fuse links |
| IS 13118:1991 IEC 60056 | High voltage alternating circuit breaker |
| IS 9920:2002 | High voltage switches-PART-I . switches for rated voltage above 1 KV and less than 52 KV |
| IS 3427:1997 | Ac metal enclosed switch gear and control gear for voltages above 1 KV and upto and including 52 KV |
| IS 694- 1990 | PVC insulated cables for working voltages upto and including 1100 Volts |
| IS 1248 | Electrical measuring instruments and accessories |
| IS 8130:1984 | Conductors for insulated electric cables & flexible cords |
| IS:15652 | Insulating mats |

Name of work: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities : Attached

SCHEDULE 'B'

Schedule of materials to be issued to the bidder: Nil

SCHEDULE 'C'

Tools and plants to be hired to the bidder: Nil

SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any: Nil

SCHEDULE 'E'

Schedule of components of Materials, Labour etc. for escalation: Nil

SCHEDULE 'F'

Reference to General Conditions of contract :

| | |
|--|------------------------------|
| Name of work: | As per NIT notification page |
| Estimated cost of work: | |
| Earnest money: | |
| Security Deposit and performance Guarantee | |

General Rules & Directions: Officer inviting tender: Executive Engineer (E)

Electrical Division-I
Chennai

Definitions:

2(v) Engineer-in-Charge

Executive Engineer (E), ED-I,
Chennai

2(vi) Accepting Authority

SE (E), Electrical Circle-II, Chennai

2(x) Percentage on cost of materials
and labour to cover all
over heads and profits

10% (TEN)

CLAUSE 5

Time allowed for execution

Three Months

Authority to give fair and reasonable

extension of time for completion of work:

SE (E), EC-II, Chennai

Competent Authority for deciding reduced rates:

SE (E), EC-II, Chennai

Clause 25 Competent authority for conciliation: SE (E) not in-charge of the work.

BSNL EW-8
Bharat Sanchar Nigam Limited
Electrical Wing

Electrical Division : I, Chennai

Sub Division: III, Chennai

1. I/we have read and examined the notice inviting tender, schedule, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rates and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
2. I/We hereby tender for the execution of the work specified for BSNL within the time specified, schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
3. I/We agree to keep the tender open for ninety (90) days from the due date of submission thereof and not to make any modifications in its terms and conditions.
4. If I/We, fail to commence the work specified, I/We agree that the said BSNL shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely and the same may at the option of the competent authority on behalf of BSNL be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.
5. Should this tender be accepted, I/We agree to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered upto maximum of percentage mentioned in clause 12.3 of the tender form and those in excess of that limit at rates to be determined in accordance with provisions contained in clause 12.2.
6. I/we agree to furnish to BSNL, Deposit at Call receipt/FDR/ Bank guarantee of a Nationalized/ Scheduled Bank for an amount equal to 5% of the of the contract value in a standard format within two weeks from the date of issue of award letter. I/We agree to keep the performance bank guarantee valid as per the BSNL terms and conditions.
7. I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than to whom I/We am/are authorized

Name of wok: Replacement of faulty OCB RMG HT panel with New VCB RMG Panel at Telephone Exchange KK Nagar, Chennai.
to communicate the same or use the information in any manner prejudicial to the safety or interest of BSNL.

| | |
|--|--|
| <p>Signature of Witness (required in the case of bidder's thumb impression is given by the bidder in place of signature) Occupation of Witness :</p> | <p>(Signature of bidder) (Name & Postal address)</p> <p>Seal of Bidder</p> <p>Date:</p> |
|--|--|

Acceptance of Tender

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of BSNL for a sum of Rs. _____ (Rupees _____)

The letters referred to below shall form part of this contract Agreement

- a)
- b)

For & on behalf of BSNL

Dated

Signature :
Designation :