

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)



BHARAT SANCHAR NIGAM LIMITED

(A Govt of India Enterprise)
(Electrical Wing)

O/o The Executive Engineer (E)

BSNL Electrical Division I,
Ground Floor, Kellys Telephone Exchange
Kellys, Chennai-10
Ph.No.044-26474545, 26476767
Fax: 26476292

E-TENDER DOCUMENT

Name of work:- Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

NIT No: 71/ EE E /ED-I /CH/2021-22

This tender document contains 44 (**forty four**) pages only.

**For E Tender Helpdesk Pls Contact M/s ITI LTD, Ph:91-80-40482000 &
Mail Id :twhelpdesk399@gmail.com, bsnlthelpdesk@gmail.com**

INDEX

	Description	Page no.
1	Front cover and Index	2
2	Notice Inviting Tender form - BSNL EW 6	5
3	General Instructions to the Bidders	9
4	Undertaking to abide by EW 6 & EW 8 (Form 'A') & EPF	11
5	Undertaking regarding Undertaking regarding ESI provisions	12
6	Performance report of works (Form 'C') & No Near relative working certificate (Form 'D')	13
7	Model form of Bank Guarantee for EMD (Annexure-I)	14
8	Model form of Performance security Guarantee bond (Annexure-II)	15
9	Bid Security/EMD DECLARATION (Annexure-IIA)	16
10	Important Instructions to tenderer	17
11	Schedule of Quantities	20
13	Specification for work	22
15	List of Approved Makes	40
16	LIST OF INDIAN STANDARDS	41
17	Proforma Schedules	42
18	BSNL EW – 8 form	43

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

BSNL EW 6

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE

Tender Notification

The Executive Engineer (Elect), BSNL, **Electrical Division-I, Chennai** on behalf of the CMD, Bharat Sanchar Nigam Limited, invites online Item rate bids from eligible bidders in Single bid system for the following work:

1	Name of work	Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)
2	Estimated cost put to tender	Rs. 5,54,400/- Excluding GST
3	Earnest Money	Rs.11,088/-
4	Period of completion	Twenty Four months
5	Last date & time for downloading of tender document by bidder	Up to 14:55 Hrs. on 28-01-2022
6	Last date & time for online submission of tender	Up to 15:00 Hrs. on 28-01-2022
7	Last date & time for submission of original EMD	Up to 15:00 Hrs. on 28-01-2022
8	Date and time for opening of tender	15:30 Hrs. on 28-01-2022
9	Tender cost (Non refundable)	Rs.500/- + GST 18%
10	E-tender Processing fee (Non refundable)	0.05% of estimate cost subject to the minimum of Rs.500 and Maximum of Rs. 5000 plus Service Tax

ELIGIBILITY CRITERIA

The bidders satisfying the following conditions:

(a) Financial Norms:

Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

AND

(b) Physical Norms:

- 1) BSNL enlisted contractors in Electrical category of respective class as per their tendering limits
(OR)

The manufacturer or authorized service dealer of any one of the make of AC units included in the inventory. The letter of authorization in original from the manufacturer will be produced by the dealer.

OR

Experience of having successfully completed **similar** works in BSNL during last 7 years ending last day of month previous to the one in which applications are invited, should be either of the following:

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

- ❖ Three **similar** successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

OR

- ❖ Two **similar** successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

OR

- ❖ One **similar** successfully completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

`Note:

1. "Similar work Means **"Comprehensive maintenance of Split AC / window AC Units"**
2. **The estimated cost of one year shall be considered to evaluate the eligibility criteria.**

IMPORTANT NOTE:

1. The self-attested copies of the following documents shall be scanned and uploaded to the e-tendering website within the period of tender submission. Online bid documents submitted by intending bidders shall be opened only by those bidders, who have scanned and uploaded the following documents (and whose uploaded documents are found to be in order), otherwise the bid will not be opened and shall lead to disqualification.
 - a. Tender Fee in the prescribed format
 - b. EMD in the prescribed format
 - c. Certificate of Financial Turnover from Chartered Accountant if applicable
 - d. Documents fulfilling Eligibility criteria (Please note that in case the bidder is authorised by the manufacturer, the original authorisation letter is to be scanned and uploaded)
 - e. Enlistment certificate issued by BSNL (for BSNL enlisted contractors)
 - f. Electrical license issued by TN Govt. if applicable
 - g. GST Registration Number details
 - h. PAN Card
 - i. EPF and ESI Registration certificate (if applicable)
 - j. Undertaking to abide by EW-6 and EW-8 (Form 'A')
 - k. Undertaking regarding EPF and ESI provisions (Form 'B')
 - l. Certificate of work experience issued by client department (Form 'C') if applicable
 - m. Undertaking regarding No Near relative working certificate (Form 'D')

Not uploading the above documents, (even if the documents are submitted physically) shall lead to disqualification.

2. The Physical Tender Fee, EMD, and if applicable the original authorisation letter by the manufacturer, shall be deposited in the tender box available in the office of tender opening authority, by all the bidders before 15.00Hrs on the tender opening date, failing which the tender shall not be opened

B S N L EW 6 (Incorporating modifications issued from time to time)

Bharat Sanchar Nigam Limited
(A Government of India Enterprise)
Electrical Wing

Electrical Division: **ED-III, Chennai**

Sub Division VII, **Chennai**

NIT No. DIVISION: 71 /ED-I/CH/2021-22 DT 17-01-2022

Notice Inviting Tenders
(As per Tendering Procedure in BSNL revised up to date)

1. Item rate tenders on single bid system are invited on behalf of CMD, BSNL for the work “**Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)**” from the eligible bidders as per NIT notification. The enlistment of the bidders should be valid on the opening date of tender. In case the date of opening of tender is extended, the enlistment of bidder should be valid on the original date of opening of tender.
2. Intending bidder is eligible to submit the bid, provided that he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority as per the eligibility conditions mentioned in the NIT notification page.
3. The work is estimated to cost **Rs.5,54,400/- Excluding GST**. This estimate, however, is given merely as a rough guide.
4. Agreement shall be drawn with the successful bidder on prescribed form as amended up to the date of opening of tender. Bidder shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
5. The time allowed for carrying out the work will be **Twenty four** month from the 10th day after the date of written order to commence the work.
6. The site for the work is available / or the site for the works shall be made available in parts. The successful bidder shall execute the work in coordination with other agencies working in the campus.
7. The bid documents consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.tenderwizard.com/BSNL at free of cost. The BSNL EW-8 document can be seen from the web site www.chennai.bsnl.co.in at free of cost.
8. After submission of the bid, the bidder can re-submit revised bid any number of times but before last time and date of submission of tender as notified. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (he need not re- enter rate of all the items) but before last time and date of submission of tender as notified.
9. The Tender Fee in the form of Demand Draft issued by the Nationalized / Scheduled bank authorized by the Reserve Bank of India, drawn in favour of **BSNL, CHENNAI TELEPHONES** payable at **CHENNAI** shall be scanned & uploaded in the e-tendering website within the period of tender submission. The

validity of the tender cost in the form of DD shall be **60 days** from the date of opening.

10. The Earnest money deposit (EMD) in the form of Demand Draft / FDR / BG (BG is only for Air Conditioning, Diesel Engine Alternator, Lifts, and Substation works wherever the amount of EMD is more than Rs.20,000)/ CDR of a nationalized / scheduled bank authorized by the Reserve Bank of India, drawn in favour of **BSNL, CHENNAI TELEPHONES payable at CHENNAI** shall be scanned & uploaded in the e-tendering website within the period of tender submission. The validity of the EMD in the form of DD shall be **60 days** from the date of opening. If the EMD is in the form of CDR/FDR/BG, the validity shall be **180 days** from the date of opening. In case of L1 bidder, the validity of CDR/FDR/BG is to be extended up to the observation period as that of the Performance guarantee / Security deposit. Exemption from payment of Tender Fee, Earnest Money and Security Deposit by any other unit/ department shall not hold good for BSNL.
11. Interested bidder who wishes to participate in the bid shall pay the e-tender processing fee to M/s. ITI Limited through their e-gateway by credit/debit card/ internet banking/ RTGS/NEFT facility.
12. All the documents as specified in the tender document shall be scanned and uploaded to the e-Tendering website within the period of bid submission.
13. The last date for online submission of bid is **...28-01-2022...** up to **1500Hrs** and the bid submitted shall be opened at 1530Hrs on the same day. If a holiday is declared on the tender opening day, the tender will be opened on the next working day.
14. The e-Tender processing fee and tender cost are non-refundable
- 15. Performance Guarantee:** The bidder is required to furnish Performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee/CDR/FDR/DD (of a Nationalized/ Scheduled Bank in a standard format) within two weeks from the date of issue of acceptance letter. This period can be further extended by the Engineer-in-charge up to a maximum period of two weeks on written request of Bidder. The validity period of the performance security in the form of performance bank guarantee shall be: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works. In case the bidder fails to deposit the said performance guarantee within the stipulated period, including the extended period if any, the Earnest Money deposited by the bidder shall be forfeited automatically without any notice to the bidder and the bidder will not be allowed to participate in the re tendering for the same work.
- 16. Security Deposit:** In addition to Performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum be deducted with the sum already deposited as earnest money, will amount to security deposit of 5% of the contract value of the work. **The security deposit shall be released after an observation period as follows: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works.**
17. **In case any discrepancy is noticed in the documents as uploaded at the time of submission of the bid online, then the bid submitted shall become invalid and the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further, the bidder shall not be allowed to participate in the retendering process of the work.**
18. Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their

19. tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
20. The competent authority on behalf of the CMD does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected. The competent authority on behalf of CMD reserves to himself the right of accepting the whole or any part of the tender and the bidder shall be bound to perform the same at the rate quoted.
21. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the bidders who resort to canvassing will be liable to rejection.
22. Agreement shall be drawn with the successful bidder on prescribed form. Bidder shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.
23. The bidder should give a certificate as per the following that none of his/her relative is employed in BSNL units as per **Form 'D'**. In case of a proprietorship firm, certificate will be given by the proprietor and for partnership firm certificate will be given by all the Directors of the company.
 - a. Near relatives of all BSNL employees either directly recruited or on deputation are prohibited from participation in tenders and execution of works in the different units of BSNL. The near relatives for this purpose are defined as:
 - i. Members of a Hindu Undivided family.
 - ii. They are husband and wife.
 - iii. The one is related to the other in the manner as father, mother, son(s) & son's wife(daughter-in-law), Daughter(s) & daughter's husband(son-in-law), brother(s) & brother's wife, sister(s) & sister's husband(brother -in-law).
 - b. The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is (are) posted. The unit is defined as SSA/Circle/Chief Engineer/Chief Archt. /Corporate office for non-executive employees and all SSA in a circle including circle office/Chief Eng./Chief Archt./Corporate office for executive employees (including those called as Gazetted officers at present). The bidder should give a certificate that none of his/her such near relative is working in the units as defined above where he is going to apply for tender/work, for proprietorship, partnership firms and limited company certificate shall be given by the authorized signatory of the firm. Any breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money/performance guarantee will be forfeited at any stage whenever it is so noticed. BSNL will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

- c. No employee in BSNL/ Govt. of India is allowed to work as a contractor for a period of two years of his retirement from service without the prior permission. The contract is liable to be cancelled if either the bidder or any of his employees is found at any time to be such a person who had not obtained the permission as aforesaid before submission of tender and engagement in the bidders service.
24. The tender for the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders. If any bidder withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
25. The agency has to comply with the provisions of EPF and miscellaneous provisions Act- 1952 and employees provident fund scheme-1952 as amended up to date in respect of labours/employees engaged by them for this work. Any consequence arising due to non-complying of provisions as specified above shall be the sole responsibility of the firm only. The agency shall give an undertaking to this effect as per **Form 'B'**.
26. **Extension of Validity of tender:** In case, where the letter of award of work cannot be placed within the validity period of the tender, the BSNL can request the bidder to extend the validity of their respective tenders and the Earnest Money deposit by a reasonable period. In such cases, extension of validity of Earnest Money deposit by 30 days beyond the extended validity date of tender should also be asked for. While BSNL can make the request for extension, the tenderer is free to either extend the validity or refuse the request to extend the validity.
27. Rates quoted by the contractor shall be firm and shall be valid for the currency of contract. No cost escalation shall be permitted during the currency of contract.
28. This notice inviting tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
- a. The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender, subsequent amendments issued and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b. Standard BSNL EW-8 form

General Instructions to the Bidders

1. The intending bidder must read the terms and conditions of BSNL-EW 6 carefully. He should only submit his bid, if he considers himself eligible and he is in possession of all the documents required.
2. Information and instructions for bidders posted on the website shall form part of bid document.
3. Applicants are advised to keep visiting the above mentioned website from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.
4. Those bidders not registered on the website mentioned above, are required to get registered themselves beforehand. The intending bidder must have a valid class-III digital signature to submit the bid.
5. On opening date, the bidder can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
6. Bidder can upload documents in the form of JPG format or / and PDF format.
7. Bidder must ensure to quote the rate of each item. The column meant for quoting rate in figures appears in yellow colour. In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO)
8. Even though any bidder may satisfy the above requirements, he would be liable to disqualification if he has:
 - a. Made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the eligibility criteria document.
 - b. Record of poor performance such as abandoning work, not properly completing the contract, or financial failures / weaknesses etc.
9. If any information furnished by the bidder is found incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of works in BSNL. The BSNL reserves the right to verify the particulars furnished by the applicant independently.
10. GST and any other tax applicable in respect of this contract shall be borne by the bidder himself. The bidder shall quote his rates considering all such taxes. The TDS as per the Govt. regulations will be recovered from the contractor.
11. **Tender Evaluation:**
 - (a) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST. The bid with lowest net cost as elaborated above will be the L1 bidder.
 - (b) Vendors should furnish the correct GST Rate in the price schedule. If the Input Tax Credit is found to be not admissible at any stage subsequently owing to wrong furnishing of GST Rate, then the vendors will be liable to refund such non-admissible amount, if already paid, along with penalty if charged by the concerned authority.

12. However, pursuant to the constitution (Forty-sixth amendment) act, 1982, if any further tax or levy is imposed by statute, after the last date of receipt of tenders, and the contractors there upon necessarily and properly pays such taxes/ levies, the contractor shall be reimbursed the amount so paid, provided such payment, if any, is not in the opinion of Superintending engineer (whose decision shall be final and binding) be attributable to delay in execution of work within the control of contractor.
13. The Contractor shall, within a period of 30 days of imposition of any further tax or levy in pursuant to the constitution of (Forty sixth amendment) act 1982 give a written notice thereof to the Engineer-in-charge that the same is given pursuant to this condition, together with all necessary information relating thereto.
14. **Bye laws Indemnity against liabilities:**
 - a. The bidder shall comply with all bylaws and regulations of the local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving and receiving all necessary notices and keep the Engineer –in-charge informed about the notices issued and received.
 - b. The bidder shall indemnify the department against all claims in respect of patent rights design, trademark or name of other protected rights in respect of any plant, machine, work or materials used for or in connection with the works or temporary works and from and against all claims demands, proceedings, costs, charges and expenses whatsoever in respect of or in relation thereto.
 - c. The bidder shall defend all actions arising from such claims and shall himself pay all royalties, License fees, damages, costs and charges of all and every sort that may be legally incurred in respect hereof shall be borne by the bidder.
 - d. All liabilities / penal recoveries on matters arising out of tax /levies such as incorrect deductions, discrepancies in the filing of returns, revised assessments by the concerned authorities etc., shall be borne by the bidder.
15. **Termination of contract on death of contractor:**

Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.
16. **Indulging of contractor in criminal /antisocial activities and cases under investigation/charge sheeted by CBI or any other government agencies etc. :**

If the CBI/Independent External Monitor (IEM) /Income tax/ Sales Tax /GST/ Central Excise/Custom Departments recommend such a course - Action will be taken as per the directions of CBI or concerned department.
17. As a general notion, the terms and conditions/instructions contained in various pages of this document are addressed assuming the bidder as 'Male'. However, the same shall remain and assumed to be addressed in case of 'Female' bidder also, except for the gender centric words, which shall be 'female' centric at appropriate places.

FORM 'A'

Undertaking to abide by EW 6 & EW 8

"I.....Son of
.....Resident of

hereby give an undertaking that I have read the complete bid document and I am aware of all the clauses and sub clauses of BSNL EW 6 & 8 forms and I confirm that I will abide by all the terms and conditions available in original standard BSNL EW 6 & 8 forms.

(Seal of the firm)

(Signature of Bidder)

FORM 'B'

Undertaking regarding EPF provisions

"I..... Son of
.....Resident of hereby give an
undertaking that

* I/We have employed only ----- persons in our establishment and hence the EPF and Miscellaneous provisions Act, 1952 are not applicable to my / our establishment.

* I/ We have registered as per the EPF and Miscellaneous provisions Act, 1952 and our registration no is --. We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me".

* strike out whichever is not applicable

**Attach a self-attested photo copy of the above said EPF registration certificate.

(Seal of the firm)

(Signature of Bidder)

Undertaking regarding ESI provisions

"I..... Son of
.....Resident of hereby give an undertaking
that

* I/We have employed only ----- persons in our establishment and hence the ESI and Miscellaneous provisions Act,1948 is not applicable to my / our establishment.

* I/ We have registered as per the ESI and Miscellaneous provisions Act, 1948 and our registration no is --. We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me".

* strike out whichever is not applicable

** Attach a self-attested photocopy of the above said ESI registration certificate.

(Seal of the firm)

(Signature of Bidder)

FORM 'C'

Performance report of works

1. Name of work
2. Agreement no.
3. Final Value of Work Done
4. Date of start
5. Actual date of completion
6. Performance: Satisfactory / Not Satisfactory

Dated:

Executive Engineer or Equivalent

FORM 'D'

No Near relative working certificate

I..... Son of Shri.....Resident of.....
hereby certify that none of my relative(s) as defined in the tender document is/are employed in BSNL unit as per details given in tender document. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me.

(Seal of the firm)

(Signature of Bidder)

MODEL FORM OF BANK GUARANTEE FOR EMD

(For submitting EMD for Air Conditioning, Diesel Engine Alternator, Lifts, and Sub Station Works wherever the amount of EMD is more than Rs.20,000/-)

Whereas _____ (hereinafter called "the bidder(s)") has submitted its Tender dated _____ for the work _____

KNOW ALL MEN by these presents that WE _____ OF _____ having our registered office at _____ (hereinafter called "the Bank") are bound unto _____ (hereinafter called "the BSNL") in the sum of _____ for which payment will and truly to be made of the said BSNL, the Bank binds itself, its successors and assigns by these presents.

THE CONDITIONS of the obligation are:

1. If the Bidder(s) withdraws its Tender during the period of Tender validity specified on the Tender Form: or
2. If the Bidder(s) having been notified of the acceptance of its Tender by the BSNL during the period of Tender validity.
 - (a) Fails or refuses to execute the Contract.
 - (b) Fails or refuses to furnish security Deposit in accordance with the conditions of Tender document.

We undertake to pay to the BSNL up to the above amount upon receipt of its first written demand, without the BSNL having to substantiate its demand, provided that in its demand, the BSNL will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as specified in the Tender Document up to and including Thirty (30) days after the period of the Tender validity and any demand in respect thereof should reach the Bank not later than the specified date/dates.

Signature of the Bank

**Signature of the Witness
Name of Witness**

Address of Witness:

ANNEXURE II

PERFORMANCE SECURITY GUARANTEE BOND

In consideration of the CMD, BSNL (hereinafter called 'BSNL') having agreed to exempt _____(hereinafter called 'the said bidder(s)') from the demand under the terms and conditions of an agreement/Advance Purchase Order No _____ dated _____ made between _____ and _____ for the supply of _____(hereinafter called "the said agreement "), of security deposit for the due fulfillment by the said bidder (s) of the terms and conditions contained in the said Agreement, on production of the bank guarantee for _____ we, (name of the bank) _____(hereinafter refer to as "the bank") at the request of _____(bidder(s)) do hereby undertake to pay to the BSNL an amount not exceeding _____against any loss or damage caused to or suffered or would be caused to or suffered by BSNL by reason of any breach by the said Bidder(s) of any of the terms or conditions contained in the said Agreement.

2. We (name of the bank) _____do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the BSNL by reason of breach by the said bidder(s)' of any of the terms or conditions contained in the said Agreement or by reason of the bidders(s)' failure to perform the said Agreement. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee where the decision of BSNL in these counts shall be final and binding on the bank. However, our liability under this guarantee shall be restricted to an amount not exceeding _____.

3. We under take to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the bidder(s)/supplier(s) in any suit or proceeding pending before any court or tribunal relating thereto our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharge of our liability for payment there under and the bidder(s)/supplier(s) shall have no claim against us for making such payment.

4. We(name of the bank) _____further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till _____

(office/BSNL) BSNL certifies that the terms and conditions of the said Agreement have been fully or properly carried out by the said bidder(s) and accordingly discharges this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the expiry of TWO/TWO AND HALF/THREE YEARS (as specified in P.O) from the date hereof, we shall be discharged from all liabilities under this guarantee thereafter.

5. We (name of the bank) _____further agree with the BSNL that the BSNL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said bidder(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the BSNL against the said Bidder(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Bidder(s) or for any forbearance, act or omission on the part of the BSNL or any indulgence by the BSNL to the said Bidder(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Bidder(s)/supplier(s).

7. We (name of the bank) _____lastly undertake not to revoke this guarantee during its currency except with the previous consent of the BSNL in writing.

Dated the _____ day of _____

for _____(indicate the name of bank)

Bid Security/EMD DECLARATION (As per the BSNL CO LtrNo.BSNLCO-MMT/12(15)/1/2020-MMT dated 05-12-2020)

BID SECURITY / EMD UNDERTAKING & DECLARATION

I / We R/o

And authorized signatory of the firm M/s.(Hereafter referred to as bidder) have read, understood and agree with all the terms and conditions included in the tender documents for participation in the tender of work/supply of

..... vide tender No..... do hereby undertake and declare that:

1. If I/We fail to enter in to the agreement & commence the work in time as per BSNL order.
2. If any loss or damage caused to or would be caused to or suffered by the BSNL by reason of breach by the bidder(s) of any of terms or conditions contained in the said tender document or by reason of the bidder(s) failure to perform the said agreement.
3. If anything is found false and / or incorrect and / or reveals any suppression of fact at any time.
4. if the bidder either registered with body specified by Ministry of Micro, Small & Medium Enterprise or Non MSE bidder claiming any concessional benefits is awarded work by BSNL and subsequently fails to obey any of the contractual obligations.

I hereby undertake that under any/all the above conditions, BSNL reserves the right to debar our tender offer / cancel the LOA/purchase/work order if issued, and to suspend/Debar/Ban for a period of one year from the date of such order/instance. BSNL can debar my/our firm from any further work/contract by BSNL for one year from the date of issue of such order.

In lieu of EMD/Bid Security, this declaration is submitting.

Date:.....

Signature of the tenderer.....

Place :

Name of tenderer.....

Along with date & Seal

IMPORTANT INSTRUCTIONS TO THE TENDERERS

The tenderers are required to read the following carefully before quoting the rates and submission of the tenders. In case of any doubt in the downloaded tender, the same shall be got clarified from the Engineer in charge calling the NIT before submission of tender. Please note that the offers, which do not comply with the following, will not be considered and will be totally rejected. These instructions supersede the BSNL/EW 8 clauses in case of any Disparity.

1(i) INCREASE /DECREASE OF TENDERED QUANTITY

a) BSNL will have the right to increase or decrease up to 25% of the Contract value depending upon the requirement of goods and services specified in the schedule of items without any change in the unit price or other terms and conditions at the time of award of contract.

b) In exceptional situation where the requirement is of an emergent nature and it is necessary to ensure continued supplies from the existing vendors, the purchaser reserves the right to place repeat orders up to 50% of the quantity of goods and services contained in the running tender/contract within a period of 12 months from date of award of work at the same rate or a rate negotiated (downwardly) with the existing vendors considering the reasonability of rates based on prevailing market conditions and the impact of reduction in duties and taxes etc.

1(ii) CURTAILMENT OF QUANTITY:-

BSNL reserves the right to enforce curtailment in the assigned quantum of work for any contractor on the grounds of defaults/delay in regard to execution of the individual work assigned.

2) COMPLETION OF WORK:-

3)

The time period will be reckoned from the 10th day after the date on which the order to commence the work issued to the contractor. The normal time of completion shall be 24 months

4) EXTENSION OF TIME:-

If the contractor shall desire an extension of time for completion of work on the grounds of his having been unavoidably hindered in its execution or on any other grounds, he shall apply in writing to the Engineer in charge within 30 days of the hindrance on the account on which he desires such extension as aforesaid, and the Engineer in charge shall if in his opinion reasonable grounds to be shown therefore, authorize such provisional extension of time, if any as in his opinion be necessary are proper.

5) COMPENSATION FOR DELAY :

If the contractor fails to maintain the required progress or complete the work and clear the site on or before the contract or extended date of completion, he has to pay the compensation for delay which is limited to 0.5% per week of the tendered value for the first 10 weeks and 0.7% per week for next 10 weeks and thereafter subject to a maximum of 12% of the tendered value for the location where the work is delayed and the firm is found responsible for the same. The clause 2 of BSNL - 8 forms stands modified accordingly. Flow chart of the Procurement process/ contract shall be supplied by the contractor and approved by Executive Engineer concerned.

6) TERMS OF PAYMENT:

Quarterly Payment shall be made after completion of maintenance period. With each bill, a certificate from the Contractor that maintenance has been carried out properly and testing / drills etc. required during the period have been performed in addition to the penalty explicitly indicated under penalty clauses.

7) EPF PROVISIONS:-

The agency has to comply with the provisions of EPF and miscellaneous provisions Act- 1952 and employees provident fund scheme-1952 as amended up to date in respect of labours /employees engaged by them for this work. Any consequence arising due to non- complying of provisions as specified above shall be the sole responsibility of the firm only.

Agency has to observe all the labour rules & regulations in force. Agency shall be fully responsible for any violation observed at any time.

8) PROGRAMME FOR EXECUTION

The firm shall supply a detailed program to Engineer-in-Charge for execution of contract within fifteen days of award of work. The program shall contain details about, details of condition of AC units, list of personnel to be deployed for work, program as to how the maintenance work will be carried out, required format of fault/maintenance documents/cards etc

9) STORES AND SAFETY

All the stores and materials required for the satisfactory completion of the work shall be arranged at work site by the contractor from his own source. Space for storing the same materials may be provided on request from the contractor. However safe custody of the material stores at site will be responsibility of the contractor.

10) CO-ORDINATION AT SITE

At the site of work more than one agency may be working. Full cooperation shall be extended to other agencies during the progress of work. Further work shall be carried out in such a way so that it may not cause abnormal noise and hindrance to the officers of the BSNL engaged in erection as well as to normal routine work.

11) COMPLETION DRAWINGS

~~The firm shall supply three sets of drawings/documents after completion of the work but before the proposed date of completion of work.~~

- ~~❖ Schematic diagram of control wiring.~~
- ~~❖ Operation and maintenance manual.~~

12) **CHANGES IN SPECIFICATIONS**

The BSNL reserves the right to make changes in respect of specifications of work if in its opinion same is found necessary. However such alterations shall be made after mutual discussions and agreement between the BSNL and the contractor. Any price implications in this regard shall be mutually discussed and agreed up on in terms of clause 12 of EW forms. The BSNL as matter of principle will not permit modifications by the contractor in design /specifications of any document /material. However the same can be agreed upon by the BSNL under exceptional circumstances where

a) The same is necessitated due to non-availability of material/components of certain specifications/make.

Or

b) Such alterations constitute an improvement in the opinion of BSNL.

Prior approval is necessary before undertaking any alteration/modification in the specifications of the equipment.

13) **I.S. Standards:**

The entire system shall conform to relevant BIS including safety standards as amended up to date. Where IS standards are not available the British standard(s) shall be followed. In case of conflict, the requirements of these specifications shall be given over-riding priority. The electrical and earthing work shall be carried out as per CPWD specifications for electrical works (internal) and electrical works (external) as amended up to date. A list of relevant standards, approved makes of equipment is furnished and forms part of the tender document.

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)											
Sl. no	Description of Items	Qty	Unit	Rate / Unit / month	Total Amount excl. GST	CGST		SGST		Total Amount including GST	
						% Rate	Rate per unit	% Rate	Rate per unit		
1	2	3	4	5	6 = 3x5	7	8 = 6x7	9	10 = 6x9	11 = (6+8+10)	
1	Carrying out comprehensive annual maintenance of following types of AC units including all items in the refrigeration cycle viz compressor, condenser coil, condenser fan, Expansion valves / capillary tube, Evaporator coil, Blower fan, Thermostats, all valves wherever applicable and all interconnecting copper refrigerant piping etc as per the specifications / conditions of the contract and as per details given in relevant sections by deploying service staff when required i/c specialized manpower and supplying and fixing required spares, refrigerant gas, tools and plants and other consumables viz lubrication oil and welding / pressure testing gases to keep the AC units and connected equipments operational up to the required standards as per the maintenance schedule detailed in the comprehensive maintenance document along with wiring-starters & stabilizers etc. as required.										
	1.5 TR Split type AC units of Conventional/Inverter type	75Nos	each								
	Total amount for 1 month excluding GST						Total amount for 1 month i/c GST				
	Total amount for 24months excluding GST						Total amount for 24months i/c GST				

Unpriced schedule

Important Note:
The firm shall be responsible to ensure that GST shown in the above columns is correct & Input Tax Credit for the amount shown above is admissible as per GST Act as amended up to date.
Tax Invoice /Bill of supply should be pre-printed with all the details as per the requirement under GST Act.
The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST .
The rates for all items of work shall, unless clearly specified otherwise, include cost of all labour, materials and other inputs involved in the execution of the terms as specified in the scope of work.
No advance payments can be made. Stipulations like levy of interest if payment is not made in a specified time are also not acceptable and the payment is governed by the normal BSNL practice.
Bidder must mandatorily quote for all GST components (CGST, SGST, IGST) as applicable.
Bidder must mandatorily mention correct HSN/SAC codes.

Contractor

Executive Engineer (E)

SPECIFICATIONS

A. GENERAL

1.0 SCOPE OF MAINTENANCE

- 1.1 Air conditioning Maintenance of the Technical/ Administrative/ Residential Building(s) as applicable in this contract means that all Services included in the schedule of work are kept in healthy clean and working condition. Specific details of maintenance activities required with regard to each service are detailed under sections pertaining to those service/technical specifications.
- 1.2 Air conditioning maintenance shall be carried out as per instructions contained herein. However all other forms & instructions to be used shall be as per works instructions / forms & checklists etc., issued by from time to time. Wherever the term maintenance appears in the technical specification, it refers to the service for which comprehensive maintenance is undertaken unless otherwise specified. However the services under operation shall be generally maintained clean.
- 1.3 For the installation where the operation is not carried out round the clock, the firm shall ensure that the installation/inventory under maintenance is intact and any discrepancy/theft are reported immediately to JTO(E)/SDE(E)/ any other authorities concerned with maintenance
- 1.4 After the contract period is over the installation has to be duly handed over to the new agency along with the record of test results of equipments & associated items, under supervision of SDE (E)/JTO (E) in charge. However installation is to be taken over by the new agency for Maintenance within 15 days of award of work.

2.0 METHODOLOGY

- 2.1 It is presumed that contractor will provide minimum qualified staff at the site, which will be adequate to perform routine maintenance functions.
- 2.2 In case of faults beyond the capacity of the staff provided as above, contractor shall immediately provide extra-specialized work force so as to attend to the fault in minimum reasonable time without any extra cost.
- 2.3 At the start of work, firm shall prepare an inventory of service under maintenance jointly with J.T.O (E)/SDE (E), concerned.
- 2.4 Before start of the work complete equipments/services under scope of maintenance shall be thoroughly examined by the agency jointly with SDE(E)/JTO(E) concerned. All Defects/discrepancies should be brought to the notice of the SDE(E)/JTO(E) in writing within first 15 days of award of work. Defects/discrepancies agreed upon by BSNL shall be got attended by the outgoing agency before handing over the site to the new agency. If the outgoing agency fails to correct the defects/discrepancies within 15 days, the same shall be got done by BSNL at the risk and cost of the outgoing agency.
- 2.5 However any defect pointed out beyond 15 days, the agency is responsible for attending to the defects / discrepancies. Where the maintenance is taken over, for the first time, the defects / discrepancies shall be got attended by BSNL.
- 2.6 A complaint / fault Register as per annexure- IV shall be kept up-to-date at site by the firm and the same shall be available for checking & verification, wherever operation is also carried.
- 2.7 If during the period of contract, any of the window/Split units are added/ altered, all inclusive comprehensive maintenance of the same shall be done by the firm, and the rates will be regularized as per Clause -12 of EW 8. However in case of deletion of any AC unit similar recovery shall be made from the bill of the contractor.

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

2.8 The details in the annexure III are approximate to give an idea of services to be maintained. Any variation on higher or lower side shall deem to be included at the initial take over. However the renderers are advised to inspect the site (s) and make them acquainted before quoting.

3.0 **MAINTENANCE PERSONNEL**

Service	Type	Skill requirements	No. of personnel	To be based at
Maintenance of AC units (window / split AC units.)	Skilled	Min. 10 th Pass with Certificate course in air conditioning with at least 2 years experience in the field of maintenance and repairing of Air conditioning and Refrigeration systems.	Sufficient personnel as per approved maintenance schedule of activity	Contractor's maintenance office with dedicated contact numbers.

3.1 The services of the maintenance staff has to be available round the clock throughout the year even on holidays.

3.2 Agency shall issue identity cards to the workers and a list of personnel employed together with the copies of such identity cards should be submitted to SDE (E)/JTO (E) concerned. Before being posted at site police should be informed about the personnel and a copy of the intimation shall be submitted to SDE(E)/JTO(E).

3.3 The workers engaged by firm should maintain proper discipline and good behavior with occupants. The firm shall remove such workers from the site whose behavior is found improper. Engineer – in – Charge's decision shall be final and binding.

3.4 The firm has to supply details of all the workers likely to be engaged by it before start of the work as per the prescribed format

~~3.5 The workers engaged by the firm should wear uniform of Navy blue color with detachable badge indicating the name of the person and firm's name and printed "SAVE ENERGY" at the back of the shirt.~~

3.6 Provision of Supervisor shall also be made as per standard form of contract (PWD8) which forms the part of this contract.

3.7 The firm and their personnel shall also co-ordinate, operate and feed information on automatic data collection services/automation devices that will be introduced by BSNL at any date during the tenor of contract.

4.0 **MATERIALS AND TOOLS & PLANTS**

(A) Material 4.1 wherever the scope of work includes comprehensive maintenance, such services, as per inventory shall be maintained on comprehensive basis i.e. no material will be supplied by the Department. The inventory shall be from BSNL approved make wherever applicable. Only replacement of major equipments as specified in Part-IV of relevant sections under technical specification which is required to be replaced as a whole after due scrapping shall be the responsibility of the BSNL. Till such time firm has to maintain the life expired equipment.

4.2 Contractor shall comply with any inclusion/exclusion in the above items and/or their quantity depending upon site requirements. The decision of the Engineer in charge shall be final in this regard.

4.3 The replacement of material shall be with the same rating and make as that of the original. The firm may also replace an item with energy efficient item wherever the same is available on intimation to JTO (E). However, in case of non-availability of a particular make, Engineer-in-charge will approve the alternate make.

4.4. Dismantled and unserviceable items for which a replacement is supplied, shall be removed from

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

the site under intimation to the JTO (E).

4.5 .All materials shall be of approved make, model and capacity and shall be matching to the system.

4.6 Supplier Invoice/Bill / Purchase particulars shall be produced in case of all major items such as compressor etc. as a proof of genuineness. For replacement compressor, the firm shall produce necessary documentary proof. Obsolete items not available in market can be repaired and re used. However efficiency of compressor shall be ensured to avoid penalty under relevant clauses.

4.7 The contractor shall maintain minimum inventories with them in addition to items/spares mentioned under specifications as section 4.1 above. However the items/ spares which are not relevant to particular site need not be maintained. These items shall be kept in a lockable trunk box made of non combustible material and storage location shall be arranged by SDE(E)/JTO(E).

(B) TOOLS & PLANTS:

4.8. All tools and plants, testing & safety equipments required for carrying out various tasks relevant to operation and maintenance have to be arranged by firm at its own cost.

a. Wherever the firm is carrying out the Operation and maintenance of equipment, the firm shall possess the following minimum T&P at site(wherever operation is carried out).

- i. Insulated Screw Driver
- ii. Line Tester
- iii. Insulated Cutting Plier
- iv. Torch Light
- v. Waste Cloth
- vi. thermometer
- vii. Ring and adjustable spanner Set
- viii. Insulated Hand gloves
- ix. Test Lamps
- x. Pressure Guage.

b) In addition to the above, the firm shall generally posses the basic T & P at their maintenance office according to the services covered under the scope.

4.9 The above list is general and any other requirements for smooth maintenance of installation shall be contractor's responsibility and he shall not claim anything extra on this account.

4.10 The firm shall also coordinate with the JTO (E) / SDE (E) for carrying out energy audit/capacity test at site with respect to AC units, whenever it is required to do so.

4.11 The Firm/Contractor will provide the workers with necessary Testing and Safety Equipment.

Note:-1.The safety of stocking/ storing arrangement of minimum inventory and T&P shall be the responsibility of the firm.

5.0 COMMERCIAL.

- 5.1 The tender must obtain himself on his own expenses, all the information necessary for the purpose of tendering, inspect the site and acquaint himself with all the local conditions, means of access to work and nature of work etc. No claim shall be entertained on this account.
- 5.2 Payment shall be made on **quarterly basis** after completion of maintenance period and on submission of bill in printed letter head together with requisite certificate and documents as per Clause 14 of Important instructions to Contractors
- 5.3 The rates quoted must be full & final. Nothing extra is payable other than quoted rates. Clause10-CC shall not be applicable for this account.

6.0 DAMAGES TO BSNL INSTALLATION:

- 6.1 Any damage to the installation(s)/building during the maintenance period due to the carelessness on the part of maintenance staff shall be the responsibility of firm/contractor & shall be replaced/rectified by the firm without any extra cost.
- 6.2 Any accident or damage during maintenance/operation will be the responsibility of the firm/contractor & the Department will not entertain any claim, compensation, penalty etc. on this account or on account of non observance of any other requirement of law relevant to his work.

7.0 CURRENCY OF CONTRACT:

- 7.1 **The currency of contract shall be 24 months.** The Department reserves the right to terminate the contract by giving show cause notice of one-month duration at any time during the currency of the contract.
- 7.2 The Department reserves the right to **extend the contract for a maximum period of six months** (three months at a time) at the same rates & conditions, without the consent of the firm and beyond this period with mutual consent.

8.0 TERMINATION OF CONTRACT:

- 8.1 Right is reserved by BSNL for terminating the contract due to serious default. This includes major break down or accident or loss due to negligence on the part of firm, failure to attend breakdown, disobedience and abandoning the site etc. In such a case, Full Performance Guarantee shall be forfeited to BSNL. The decision of Superintending Engineer (E) in this regard shall be final and binding.
- 8.2 Right is reserved by BSNL for closure of the contract at any time by giving one month's notice for reasons not attributed to the Contractor. The decision of Executive Engineer shall be final and binding on the contractor for closure of contract and for which BSNL shall not entertain any claim.

9 PENALTY FOR DEFICIENCY IN SERVICE:

SERVICE	SERVICE CONDITIONS	PENALTY FOR DEFICIENCY IN SERVICE
Window/ Split AC units maintenance	<p>i) Faults involving the following in the individual units shall be replaced within the time frame failing which penalty shall be imposed.</p> <p>1. Condenser coil & Evaporator coil leakage other than normal wear and tear in units of more than 6 years –Beyond one month.</p> <p>2. Compressor replacement –Beyond 3 weeks</p> <p>3. Blower fan/ motor, Condenser fan/ motor, MCB replacement – Beyond 15 days</p> <p>4. Others – Beyond one week.</p>	<p>Rs.500/- per day per unit</p> <p>Rs. 500/- per day per unit</p> <p>Rs. 500/- per day per unit</p> <p>Rs. 250/- per day per unit</p>
Energy efficiency of AC (all types)	<p>iii) Energy efficiency of AC: Shall be within benchmark value. Any reduction will lead to penalty. <i>(Excluding deterioration due to ageing)</i></p>	<p>Penalty proportionate to additional energy expenditure incurred due to reduced efficiency.</p>

Note:-

- The above penalty clauses are indicative in nature for specific service failures. In case contractor fails to comply with preventive/ periodical maintenance schedules, penalty of 25% of one month's bill amount shall be imposed. However for genuine reasons, which are beyond the scope of the contractor such as immediate non availability of particular spare due to discontinuance of model etc, the firm shall represent the specific case in writing seeking additional time with due reasons and possible time of completion against which the EE (E) shall sanction/approve additional time as required.
- In case of a major accident/loss on account of negligence on the part of the contractor, the contract shall be terminated and 10% of the estimated cost shall be recovered. Decision of Executive Engineer (E) shall be final and binding on the contractor.
- If the performance is found to be unsatisfactory (Such as non-recording of data, failure to carry out periodical maintenance in time, etc., penalty upto 25% of one month's bill for that service for that site shall be recovered. This is in addition to the penalty for specific deficiencies as per Clause 9 above.
- Repair etc. of faulty equipment for which comprehensive maintenance is included, if not done by the firm, will be got done at the risk & cost of firm, beyond 7 days of continuing failure(over and above the day's allowable as per above penalty clause table), without further notice. The decision of EE (E) shall be final in this regard.
- Notwithstanding the compensation clause described above, BSNL reserves the right to take necessary steps for operation/ maintenance of the AC unit as applicable at the risk and cost of the contractor within a day's notice or as decided by the E-in-C, depending upon the graveness of the situation attributed to the contractor. BSNL also reserves the right to carryout scheduled mtce activity, if not done the main form, at is risk & cost.

8. Executive Engineer(E) reserves the right to For delays due reasons such as non availability of suitable replacement and such other causes which beyond the possible efforts of the firm Penalty for d

1) GENERAL CONDITIONS:

- 1.1. The contractor has to keep all the equipments in optimum working conditions.
- 1.2. Dates of maintenance and or breakdown calls shall be recorded in the relevant cards/registers
- 1.3. Contractor shall have a round the clock communication landline/ Mobile telephone number at Chennai. A complaint register shall be maintained as per annexure - IV. Disposal of complaint shall be recorded and monthly report shall be submitted to the SDE (E) concerned.
- 1.4. The contractor shall not sublet the work or part thereof. However, services of specialized agencies for specific work can be obtained.
- 1.5. The contractor agrees that he shall at all times indemnify BSNL against all claims for compensation under the provisions of any law for the time being in force or in respect of any person employed by it in carrying out the contract. Further, such staff has no right to claim employment in BSNL.
- 1.6. The Contractor will provide the workers with necessary T & P, Testing & safety equipments.
- 1.7. Contractor has to observe all the labour rules and regulations in force & BSNL shall not be liable for any default
- 1.8. Firm is responsible to keep workable spares and consumables for due performance of the contract. For critical spare parts, firm shall have arrangement with dealers for prompt supply..
- 1.9. The material used/replaced by the firm for the work shall have same specification. Alternate Make shall be allowed only after prior approval of the Engineer-in-Charge.
- 1.10. As Air-conditioning services are of critical nature, the firm will ensure that the labourers engaged are well trained to take responsibility and initial steps under emergency situation.
- 1.11. In case of Emergency, contractor and/or his authorized engineer or supervisor shall be available at site on short notice from Engineer-in- charge and make all efforts to make the situation normal at the earliest

DOCUMENTS TO BE MAINTAINED AT SITE/MAINTENANCE OFFICE

The contractor shall maintain following documents,

- A complaint / fault register as per format given in annexure- IV.
- The **service/fault report card for Window/Split AC units shall be hanged near the AC units with the consent of the user. If otherwise the same shall be kept at conspicuous location as desired by the user.** The firm shall record all major breakdown maintenance carried out by the firm like rewinding of motor / replacement of compressor done, if any etc.

TEST CHECK BY THE FIELD ENGINEERS:

- ✓ For the purpose of assessing the quality of service rendered by the firm against the above contract, the EE, SDE & JTO shall carryout inspection & test checks of the service/work under the contract periodically.
- ✓ During these test checks they shall record any deficiency in the work. As per the principle of sampling, if service during sample test check is not found to be satisfactory, then penalty shall be imposed on the contractor as per the penalty clause.

13.0 Guarantee and Defect Liability

13.1 The guarantee for replaced components / equipments shall be valid for twelve months after successful commissioning. The contractor shall guarantee that all replaced components / equipments are free from any defects and also the equipments work with satisfactory performance and efficiency not less than the guaranteed values.

13.2 Any part found defective during Guarantee period shall be replaced free of cost by the

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

contractor. The service of the contractor's personnel, if required during this period shall be made available free of cost to the BSNL.

13.3 In case the contractor fails to depute his representative to attend the fault within the time frame stipulated in various clauses or fails to cause remedial measure within reasonable time as decided during joint inspection, the BSNL may proceed to do so at the contractor's risk and expenses and without prejudice to any right of the BSNL to recover such expenses.

14.0 ENERGY CONSERVATION

14.1 BSNL Electrical Wing, Chennai Telephones is committed to reduction in energy bills by the way of energy conservation over a year by 5%. The contractor shall continuously monitor energy conservation measures to save energy bills with suitable testing using energy monitoring instruments at his own cost to meet the Energy Conservation Building Code.

14.2 The contractors shall co-ordinate with the departmental SDEs / JTOs while conducting Energy auditing of the AC units under maintenance for effective Energy saving instructions such as temperature at which the AC to be operated shall be displayed on the AC units, wherever required.

14.4 Totally Burnt out motors shall not be repaired but replaced with higher efficiency motors of reputed make.

14.5 Energy efficiency of AC units, shall be maintained within the benchmark value. The benchmark value shall be assigned by JTO(E)/SDE(E) after testing, with respect to the present conditions within 2 months from the date of handing over the services for maintenance. A 10% allowance shall be given for ageing while setting the benchmark itself. Energy efficiency report shall be submitted once every 6 months by the contractor..

15. List of Annexures

SL NO	Description of Annexure	Annexure
1.	Model Form Of Bank Guarantee	I
2.	Performance Security Guarantee Bond	II
3.	Bid Security /EMD DECLARATION	IIA
4.	Size Of Services To Be Maintained	III
5.	Complaint cum Fault Register	IV
6.	Window/Split Ac Units Maintenance Card Format	V
7.	ABSTRACT OF ACTUAL PERIODICAL MAINTENANCE CARRIED OUT IN THE QUARTER ENDING	VI
8.	CERTIFICATE TO BE SUBMITTED ALONG WITH EACH BILL	VII

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

ANNEXURE-III

SIZE OF SERVICES TO BE MAINTAINED

DGM Kancheepuram Area

SRNO	NAME OF EXCHANGE	STAC LOCATION	NO OF STAC	CAPACITY TR	TYPE CONVENTIONAL / INVERTER	DOI
1	SRIPERUMBUDUR	switch room	4	1.5	dual inverter LG	Nov-18
		Battery and PP	1	1.5	dual inverter LG	Nov-18
		TXM	2	1.5	dual inverter LG	Nov-18
		CSC	1	1.5	dual inverter LG	Nov-21
		MDF	1	1.5	dual inverter LG	Nov-21
		STR	2	1.5	dual inverter LG	
2	PADAPPAL	switch room	2	1.5	dual inverter LG	Nov-21
3	Somangalam	switch room	1	1.5	dual inverter LG	Nov-18
4	MATHUR RT					
5	Templegreen	switch room	3	1.5	dual inverter LG	Nov-18
6	Irungattukottai	switch room	2	1.5	dual inverter LG	Nov-18
7	Spd Microwave		0			
8	Valarpuram		0			
9	Thandalam	Switch room	1	1.5	dual inverter LG	Nov-18
10	West mambakam JONE ROAD	switch room	1	1.5	dual inverter LG	
11	Edayarpakkam	switch room	0			
12	Snv new xchg	Switch room	2	1.5	dual inverter LG	01.08.2020
13	AYYANGARKULAM	Switch room	2	1.5	conventional LG	Jul-05
14	MAGARAL	Switch room	2	1.5	conventional LG	Jul-05
15	MANAMPATHY	Switch room	3	1.5	conventional LG	Jul-05
16	UTHIRAMERUR	Switch room	3	1.5	conventional LG	Jul-05
17	ENATHUR/kattavakkam	Switch room	1	1.5	conventional LG	24.05.2016
18	Olimohammedpet	Switch room	1	1.5	conventional LG	24.05.2016
19	AYYAAMPETTAI	Switch room	2	1.5	conventional Voltas	May-17
20	THENNERI	Switch room	1	1.5	conventional Voltas	Jun-17
21	Walajabad	TXM Room	3	1.5	conventional LG	Apr-19
22	SALAVAKKAM/gurumbi	Switch room	3	1.5	conventional LG	Jul-05
23	BALUCHETTYCHATRAM	Switch room	2	1.5	conventional Voltas	May-17
24	PARANDUR	Switch room	1	1.5	conventional(Purison)	Jul-05
25	RAJAKULAM/siruvellur rd	NIL	0	NIL	NIL	NIL
26	SV SUGAR/paalayachevaram	NIL	0	NIL	NIL	NIL
27	Chinna kanchipuram	Swith Room,Txm Room	5	1.5	conventional(Hitachi-3,LG-2)	Hitachi-3(jun-

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

						2010),LG-2(Jun-2016)
28	Kcm Collectorate	Swith Room,Txm Room,PP Battery Room	8	1.5	conventional(Amtrex)	Mar-09
29	KANCHEEPURAM NTE	sw/pp room	6	1.5	conventional(puri-2,LG-3),inverter L g-1	puri-July-2009,LG-Mar-2018,inv LG-Mar-2021
30	Nelvoy Exchange/BTS					
Total no of AC			66			
AC considered for AMC			33			
DGM Tiruvallur						
53	TIRUTTANI	NGN SWITCH ROOM,GSM,TXM,CSC/CSR,DE (MTCE)	10	1.5	Split AC [LG-10] Nos	
54	AMMAYARKUPPAM	SWITCH ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
55	ATHIMAJERIPET	SWITCH ROOM	3	1.5	Split AC Conventional[VOLTAS-1,LG-2]	
56	ARUNGULAM	NA	0	NA	NA	NA
57	BUCHIREDDI PALLI	NA	0	NA	NA	NA
58	ERUMBI	TXM ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
59	KANAKAMMACHATRAM	TXM ROOM	2	1.5	Split AC Conventional[VOLTAS-1]	
60	K.G.KANDIGAI	SWITCH ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
61	MADDUR	TXM ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
62	N.N.KANDIGAI	SWITCH ROOM	1	1.5	Split AC Conventional[LG-1]	
63	PALLIPET/rc puram	SWITCH ROOM	2	1.5	Split AC Conventional[VOLTAS-1]	
64	PODATHURPET	SWITCH ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
65	TIRUVALANGADU	TXM ROOM	1	1.5	Split AC Conventional[LG-1]	
66	VEDIYANGADU/pudur	SWITCH ROOM	1	1.5	Split AC Conventional[VOLTAS-1]	
67	MANAVALANAGAR	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	12.07.18
68	EKKADU	SWITCH ROOM & TXM ROOM	2	1.5	LG split AC - 2 NOs	02.08.18

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

69	Tiruvallur	SWITCH ROOM & TXM ROOM & STR & GSM	15	1.5	Switch Room LG split AC - 4 NOs, TXM digicon split AC - 2 NOs, TXM LG split AC - 1 NOs, GSM Voltas Split AC - 2 NOs, GSM Purisons Split AC - 2 NOs, STR Hitachi split AC - 2 NOs, STR LG split AC - 2 NOs	
70	TVR Microwave Building	GSM	1	1.5	Voltas split AC - 1 NOs	
71	MEYYUR	SWITCH ROOM	1	1.5	LG split AC - 2 NOs	
72	POONDI	SWITCH ROOM	2	1.5	LG split AC - 2 NOs	
73	GOONIPALAYAM	SWITCH ROOM	2	1.5	LG split AC - 2 NOs	
74	UTHUKOTTAI	SWITCH ROOM & TXM ROOM	4	1.5	LG split AC - 4 NOs	
75	PALAVAKKAM	SWITCH ROOM	2	1.5	LG split AC - 2 NOs	
76	KANNIGAIPAIR	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	
77	KANNIGAPURAM	SWITCH ROOM & TXM ROOM	2	1.5	LG split AC - 2 NOs	
78	VELLIYUR	SWITCH ROOM & GSM ROOM	4	1.5	LG split AC - 2 NOs	
79	PATTARAIPERUMBUDHUR	SWITCH ROOM	1	1.5	LG split AC - 2 NOs	
80	KADAMBATHUR	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	
81	PERAMBAKKAM	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	
82	ULUNDAI	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	
83	TIRUR	SWITCH ROOM & TXM ROOM	4	1.5	LG split AC - 4 NOs	
84	PERUMALPATTU	SWITCH ROOM & TXM ROOM	3	1.5	LG split AC - 3 NOs	
85	PULIYURKANDIGAI	SWITCH ROOM & TXM ROOM	1	1.5	LG split AC - 1 NOs	
Total no of AC			84			
AC considered for AMC			42			

(The Details in this section are approximate to give an idea of services to be maintained. Any variation on higher or lower side shall deem to be included. However the renderers are advised to inspect the site(s) and make themselves acquainted before quoting)

(Makes of AC unit: LG / Voltas / Purison / Hitachi / Gujral / Amtrex etc)

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

DETAILS TO BE SUPPLIED BEFORE STARTING WORK WITHIN 15 DAYS

a) The following information to be SUPPLIED WITHIN 15 DAYS of start of work. .

1.	Name of the Agency	
2.	Address (of maintenance office)	
3.	Person to contact	
4.	Telephone No.	

b) Details of staff to be deputed ~~at site~~: To be furnished to JTO (E) along with qualification and intimation letter to Police on antecedents.

Sl.no.	Name & Address	Qualification	Designation	To be stationed at
1.				
2.				
3				
4				

- a) List of T&P
- b) List of Inventory
- c) Test details of the equipments taken over for maintenance and defects discrepancies noticed if any.

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

ANNEXURE – IV

COMPLAINT / FAULT REGISTER (WHERE OPERATION IS ALSO FORMING PART OF WORK)

The following information shall be pasted in front cover of the register

Name of work:

Name of contractor:

Agreement No:

Name of Sub-Division:

Station/Exchange/Bldg:

Register Format:

Complaint No. (1)	Date & Time of complaint (FAULT) (2)	Location of fault together with unit No. (3)	Complaint Lodged by / FAULT Observed by (3)	Nature of complaint reported / Fault Observed (4)	Time & Date of attending complaint / Fault vide service report no. (6)	Proposed action to avoid future complaint / Fault (5)	Dated Signature of Firm's Representative (7)	Test Check by SDE/JTO with date (8)	Remarks (9)

WINDOW/SPLIT AC UNITS MAINTENANCE CARD/ SERVICE REPORT FORMAT

WINDOW/SPLIT AC UNITS MAINTENANCE CARD FORMAT (W-1)

FRONT SIDE OF CARD

EQUIPMENT:-

FIRM'S PH NO:-

CAPACITY:-

JTO (E)'S PH NO:-

MAKE & SL NO:-

SDE(E)'S PH NO:-

DATE	TYPE OF MAINTENANCE DONE	SIGN OF MECHANIC / ELECTRICIAN	SIGN OF USER/EXGE STAFF	REMARKS

BACK SIDE OF CARD

DATE	NATURE OF FAULT	REPORTED TO	SIGN OF USER/ XGE INCHARGE	ATTENDED ON	SIGN OF ELECTRICIAN/ MECHANIC	SIGN OF USER/ XGE STAFF

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

MONTHLY SERVICE REPORT FOR WINDOW/SPLIT/SLIMLINE/CASSETTE TYPE AN UNITS

Monthly service details for the month of _____

Floor				
Location				
Unit type				
Capacity				
Description				
<u>Electrical System</u>				
Plug & socket condition (OK/N ok)				
Current (amps)				
Condition of starting relay (OK)				
Condition of starting capacitor(Ok)				
Tightness of connections(OK)				
Earthing (Tight)				
Condition of starter & stabilizer (working/ Not)				
Condition of remote (Available/ Not Available)(Working/Not Working)				
<u>Control system</u>				
Thermostat(working				
temperature set(degrees)				
<u>Refrigeration System</u>				
Compressor (Working, Any noise)				
Condensor/cooling coil				
Capillary tube(OK/Not Ok)				
Gas leakage (observation)				
<u>Air Circulation System</u>				
Evaporator Fan (Ok/Not)				
Condensor fan(Ok/Not)				
<u>Ventilation & Exhaust</u>				
Filter/condition(Cleaned)				
Drain pipe (any loose connection/ leakage)				
Damper Louvers condition(Firm)				
Overall Condition of the unit(satisfactory/ Not satisfactory)				
Tonnage of AC units(periodicity as per specns)				

Sign of AC mechanic

Sign of Exchange in charge/jto(e)

(To be submitted by the contractor along with the quarterly bill claim)

ABSTRACT OF ACTUAL PERIODICAL MAINTENANCE CARRIED OUT IN THE QUARTER ENDING

Name of contractor: _____.

Agreement No. : _____.

Month:

I. MONTHLY ACTIVITY :(Tick /fill relevant column)

MONTHLY MAINTENANCE ACTIVITY	DONE FOR ALL THE DAYS	NOT DONE FOR _____ MONTHS
------------------------------	-----------------------	---------------------------

II. ANNUAL ACTIVITY :(Tick /fill relevant column)

YEARLY MAINTENANCE ACTIVITY	DONE	NOT DONE
-----------------------------	------	----------

III.

CAPACITY TEST RESULTS OF UNITS:

NO OF UNITS BELOW BENCH MARK VALUE:				
ACTION PROPOSED				

IV. FAULTS/ O & M DEFICIENCY DATA:

1. Certified that the data given above are true and is based on the periodical repair/ maintenance work done by us..
2. Certified that we have carried out maintenance properly as per schedule of work and as per terms and condition of the agreement and testing/drills etc. required during the period has been performed.

Contractor/ authorized representative

counter signed by

JTO (E)/ SDE (E)

ANNEXURE - VII

CERTIFICATE TO BE SUBMITTED ALONG WITH EACH BILL

1. CERTIFIED THAT WE HAVE CARRIED OUT THE SCHEDULED AND MAINTENANCE COVERED IN THE ABOVE CONTRACT SATISFACTORILY AND THE SERVICES HAVE BEEN UNDER SATISFACTORY WORKING CONDITION EXCEPT THE FOLLOWING DUE TO THE REASONS MENTIONED AGAINST THE RESPECTIVE ITEM:

Sl.No	ITEM/SERVICES	REASONS FOR NON CARRYING OUT

2. CERTIFIED THAT THE EQUIPMENTS FOR WHICH THE ENERGY EFFICIENCY PARAMETERS HAVE BEEN PRESCRIBED WERE MAINTAINED WITHIN THE PRESCRIBED BENCHMARK.
3. CERTIFIED THAT REQUIRED INVENTORY HAS BEEN REPLENISHED BY US.
4. CERTIFIED THAT EPF FOR THE EMPLOYEES ARE REMITTED WHEREVER APPLICABLE.
5. CERTIFIED THAT WE HAVE COMPLIED WITH PROVISIONS OF MINIMUM WAGES ACT 1948.

SIGNATURE OF CONTRACTOR

Counter signed by:

JTO (E)/SDE (E)

TECHNICAL SPECIFICATIONS

PART I: SCOPE OF WORK FOR SPLIT / WINDOW AC UNITS

- a) Keep all the units in healthy working condition.
- b) Attending day to day faults promptly.
- c) Carrying out maintenance tasks as mentioned in Part-III.

PART II:TASKS TO BE PERFORMED WITHIN 15 DAYS

Following tasks should be carried out within 15 days.

- 1) Enquiry office shall be established and system shall be organized with the approval of Engineer-in-charge so that complaints can be received and attended properly.
- 2) All maintenance documents/ registers shall be opened as per proforma.
- 3) The agency will familiarize with the installation and inspect the complete system and understand the requirements of installation. Any other relevant aspect which will come in the way of maintenance shall also be brought to the notice of Engineer in Charge.
- 4) Shall carry out tests as per test schedule before taking over the maintenance.
- 5) Upon successful taking over of the maintenance the agency will be responsible for the equipment and hand over the installation to the new agency in healthy condition after completion of the maintenance. In case the same agency continues for AMC, the agency will carry out these activities as per the prescribed maintenance schedule and will be responsible for rectification of defects and replacements of parts..
- 6) Prepare an inventory of materials/tools to be kept at site or to be in possession of the maintenance personnel, for prompt maintenance in consultation with Engineer-in-charge. Materials for all the services are to be considered. A tentative requirement of materials that are to be possessed with the
- 7) Shall collect information like the telephone numbers of the Exchange in charge, JTO(E), SDE(E),EE(E),Fire service, Supply Company, Local Hospitals, Emergency Services etc. and preserve it in the maintenance office.
- 8) Shall intimate the BSNL the list of staff to be employed at the site of work with all relevant particulars.

Part III – MAINTENANCE SCHEDULE TO BE FOLLOWED

WINDOW SPLIT AC UNITS:

Monthly

1. Check of air filters & clean them.
2. Checking of Electrical Connections
3. Check voltage stabilizer provided with A/C unit.
4. Check for leakage of condition air.
5. Check that fins are clean.
6. Check the window AC control unit.
7. Check for tripping of compressor by thermostat.
8. Check any combing is required in the fins at the back of the unit

Yearly

1. Complete servicing of A/C unit / water cooler / voltage stabilizers i/c replacement of filters

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

..... (February)

Testing

Detailed Testing of the installation shall be done once in a year to find out capacity and efficiency of various equipment with respect to their rating. The testing procedure shall be same as adopted at the time of original testing (but without involving the T&D persons.)

PART IV MATERIALS

All the materials required for carrying out routine maintenance with the **exception of following** shall be arranged by the contractor at his own cost.

1. Replacement of complete AC unit, Complete Condenser unit, complete cooling coil

However Refrigerant lost during the operation, oil, fan belt, & filter shall be firm's responsibility.

NOTE: - The replacement of material shall be with the same rating and make as that of the original. However, in case of non-availability of a particular make, the Engineer-in-charge will approve the alternate make.

APPROVED MAKES OF EQUIPMENTS - AC SYSTEM

1.	MOTORS	GE / Crompton Greaves / Siemens / Bharat Bijilee / ABB/MEI/KEC/HBB/Sparton /NGEF.
2.	COMPRESSORS	ACCEL / VOLTAS / BATLIBOI / CARREER / KIRLOSKAR COPELAND / KPC CARRIER / COPEWALD / BLUESTAR / TRANE
3.	STARTERS	SIEMENS / L & T / BCH / ABB / MEI / GE POWER CONTROL.
4.	MCBs / ISOLATORS & DISTRIBUTION BOARD	BENTEX / CLARITON / HAVELLS / INDOKUPP / SIEMENS / STANDARD / CROMPTON / MDS.
5.	G.I./ MS PIPES	TATA / ATL / ITC / ATC / IIA / JST / ITS / JINDAL / ZENITH / GSI / TTA / BST.
6.	CABLE ISI MARK: a) Upto 1.1 KV Grade b) Above 1.1 KV Grade	ISI MARK ISI MARK
7.	GUN METAL VALVE	SANT / LEADER / TRISHUL / FOUNTAIN / ANNAPURNA.
8.	SPP/ OVERLOAD	L&T / ZERO TRIP / MINILEC / SIEMENS.
9.	RESIN BONDED GLASS WOOL	FIBREGLASS / UP TWIGA / PILKINGSTON
10.	EXPANDED POLYSTRENE	BASF (India) Ltd.
11.	GAUGES	FIEBIG / H-GURU / PRICOL.
12.	CONTROLS	INDFOSS / HONEYWELL / SPORLAND / RANCO / RANUTROL / PENN – DANFOSS / FLICA.
13.	FRESH AIR FANS	GE / KHAITAN
14.	FINE FILTERS For Fresh Air EU-2 (Coarse Filter, Efficiency 90% Down To 20 Microns) And EU-3 (Fine Filter, Efficiency 95% Down To 5 Microns)	DYNA / TENACITY / KIRLOSKAR / PUROMATIC / AIRTECH / PURAFILL / ARWI / ATHLETE / PUROLATOR - ANFILTRA EFFLUENT.
15.	G.I.SHEETS	TATA / NIPPON DENRO / SAIL / HSL / JINDAL / NATIONAL.
16.	INDICATING LAMPS	VAISHNO / SIEMENS / L&T / AE / IMP / RASS CONTROL / TEKNIC / CROMPTON / KAYCEE.
17.	AMMETER / VOLTMETER	AE / IMP / UNIVERSAL / RESSHABH / KAYCEE / MECO / ENERCOM
18.	SELECTOR SWITCH	L&T / KAYCEE / AE / IMP / THAKOOR / RECO / VAISHNO / SALZER / RASSCONTROL.
19.	CT	AE / IMP / MARSHAL / PACTIL / KAPPA / L&T / ASHMOR / INDCOIL / WACO / MECO

LIST OF INDIAN STANDARDS

- I.S.277 Galvanized steel sheets.
- I.S.325 Three Phase Induction Motors
- I.S.655 Metal Air Ducts
- I.S.732 Code of Practice for Electrical Wiring and fittings for Buildings.
- I.S.778 Gun Metal Gate, Globe and Check Valves for general purposes.
- I.S.900 Code of Practice for Installation and Maintenance of Induction Motors.
- I.S.996 Single Phase small AC and Universal Motors.
- I.S.1239 Mild Steel Tubes, G.I. Pipes, Tubular and other wrought steel fittings.
- I.S.1248 Direct Acting Electrical Indicating Instruments.
- I.S.1520 Horizontal Centrifugal Pumps for clear, cold and fresh water.
- I.S.1554 PVC Insulated (heavy duty) Electrical Cables (Part-I) for working voltages upto and including 110 volts.
- I.S.2372 Timber for cooling towers.
- I.S.2516 AC Circuit Breakers.
- I.S.2592 Recommendation for Methods of Measurements of Fluid flow by means of Orifice Plates and Nozzles.
- I.S.1822 Motor Starters of Voltage not exceeding 1000 volts.
- I.S.2208 HRC Cartridge Fuse – Links upto 650 volts.
- I.S.3589 Electrically welded steel pipes for water, gas and sewage.
- I.S.3624 Bourden Tube Pressure and Vacuum Gauges.

- I.S.4047 Heavy Duty air break switches and composite units of air break switches and fuses for voltage not exceeding 1000 volts.
- I.S.6392 Steel Pipe Flanges.
- I.S.7403 Code of Practice for Selection of Standard Worm and Helical Gear Boxes.
- I.S.8148 Specification for packaged air conditioning.
CPWD General Specifications for Heating, Ventilation & Air conditioning (HVAC)-2004

IMPORTANT NOTE

All references to I.S.I. appearing in this specification may be read as Bureau of Indian Standards, Latest amended versions.

LIST OF SAFETY STANDARDS

- I.S.618 Code of Practice for safety and health requirements in Electrical and Gas Welding and Cutting Operations.
- I.S.659 Safety code for Air Conditioning.
- I.S.660 Safety code for Mechanical Refrigeration.
- I.S.3016 Code of Practice for Fire precautions in welding and cutting operations.
- I.S.3210 Code for Safety procedures and practices in Electrical works.
- I.S.3696 Safety for Scaffolds and Ladde

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities : Attached

SCHEDULE 'B'

Schedule of materials to be issued to the bidder: **Nil**

SCHEDULE 'C'

Tools and plants to be hired to the bidder: Nil

SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any: Nil

SCHEDULE 'E'

Schedule of components of Materials, Labour etc. for escalation: Nil

SCHEDULE 'F'

Reference to General Conditions of contract :

Name of work:	As per NIT notification page
Estimated cost of work:	
Earnest money:	
Security Deposit and performance Guarantee	

General Rules & Directions: Officer inviting tender:

Executive Engineer (E)

Electrical Division-III

Chennai

Definitions:

2(v) Engineer-in-Charge

Executive Engineer (E), ED-III,
chennai

2(vi) Accepting Authority

SE (E), Electrical Circle -II,

Chennai

2(x) Percentage on cost of materials
and labour to cover all
over heads and profits

10% (TEN)

CLAUSE 5

Time allowed for execution

Twenty Four Months

Authority to give fair and reasonable
extension of time for completion of work:

SE (E), EC-II, Chennai

Competent Authority for deciding reduced rates:

SE (E), EC-II, Chennai

Clause 25

Competent authority for conciliation:

SE (E) not in-charge of the work.

BSNL EW-8

**Bharat Sanchar Nigam Limited
Electrical Wing**

Electrical Division: I, Chennai

Sub Divisions of ED I, **Chennai**

1. I/we have read and examined the notice inviting tender, schedule, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rates and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
2. I/We hereby tender for the execution of the work specified for BSNL within the time specified, schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
3. I/We agree to keep the tender open for ninety (90) days from the due date of submission thereof and not to make any modifications in its terms and conditions.
4. If I/We, fail to commence the work specified, I/We agree that the said BSNL shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely and the same may at the option of the competent authority on behalf of BSNL be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.
5. Should this tender be accepted, I/We agree to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered up to maximum of percentage mentioned in clause 12.3 of the tender form and those in excess of that limit at rates to be determined in accordance with provisions contained in clause 12.2.
6. I/we agree to furnish to BSNL, Deposit at Call receipt/FDR/ Bank guarantee of a Nationalized/ Scheduled Bank for an amount equal to 5% of the of the contract value in a standard format within two weeks from the date of issue of award letter. I/We agree to keep the performance bank guarantee valid as per the BSNL terms and conditions.
7. I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety or interest of BSNL.

Name of work: Providing Comprehensive maintenance of Split AC units in RSU's / Telephone exchanges in DGM Kancheepuram & Tiruvallur Area, Chennai Telephones (2021-23)

<p>Signature of Witness (required in the case of bidder's thumb impression is given by the bidder in place of signature) Occupation of Witness :</p>	<p>(Signature of bidder) (Name & Postal address)</p> <p>Seal of Bidder</p> <p>Date:</p>
--	--

Acceptance of Tender

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted
by me for and on behalf of BSNL for a sum of Rs.
_____Rupees_____)

The letters referred to below shall form part of this contract Agreement a)

b)

Dated

Signature: Designation: